

Definitions S - T

Sector Votes:

"Sector Votes" shall mean the affirmative and negative votes of each sector of a Senior Standing Committee, as specified in Section 8.4.

Securities:

"Securities" shall mean negotiable or non-negotiable investment or financing instruments that can be sold and bought. Securities include bonds, stocks, debentures, notes and options.

Segment:

"Segment" shall have the same meaning as described in section 3.2.3(e) of Schedule 1 of this Agreement.

Senior Standing Committees:

"Senior Standing Committees" shall mean the Members Committee, and the Markets, and Reliability Committee, as established in Sections 8.1 and 8.6.

SERC:

"SERC" or "Southeastern Electric Reliability Council" shall mean the reliability council under section 202 of the Federal Power Act established pursuant to the SERC Agreement dated January 14, 1970, or any successor thereto.

Short-term Project:

A transmission enhancement or expansion with an in-service date of more than three years but no more than five years from the year in which, pursuant to section 1.5.8(c) of this Schedule 6, the Office of the Interconnection posts the violations, system conditions, or Public Policy Requirements to be addressed by the enhancement or expansion.

Special Member:

"Special Member" shall mean an entity that satisfies the requirements of Section 1.5A.02 of this Schedule or the special membership provisions established under the Emergency Load Response and Pre-Emergency Load Response Programs.

Spot Market Backup:

"Spot Market Backup" shall mean the purchase of energy from, or the delivery of energy to, the PJM Interchange Energy Market in quantities sufficient to complete the delivery or receipt obligations of a bilateral contract that has been curtailed or interrupted for any reason.

Spot Market Energy:

"Spot Market Energy" shall mean energy bought or sold by Market Participants through the PJM Interchange Energy Market at System Energy Prices determined as specified in Section 2 of this Schedule.

Standing Committees:

"Standing Committees" shall mean the Members Committee, the committees established and maintained under Section 8.6, and such other committees as the Members Committee may establish and maintain from time to time.

State:

"State" shall mean the District of Columbia and any State or Commonwealth of the United States.

State Certification:

"State Certification" shall mean the Certification of an Authorized Commission, pursuant to Section 18 of this Agreement, the form of which is appended to this Agreement as Schedule 10A, wherein the Authorized Commission identifies all Authorized Persons employed or retained by such Authorized Commission, a copy of which shall be filed with FERC.

State Consumer Advocate:

"State Consumer Advocate" shall mean a legislatively created office from any State, all or any part of the territory of which is within the PJM Region, and the District of Columbia established, inter alia, for the purpose of representing the interests of energy consumers before the utility regulatory commissions of such states and the District of Columbia and the FERC.

State Estimator:

"State Estimator" shall mean the computer model of power flows specified in Section 2.3 of this Schedule.

Station Power:

"Station Power" shall mean energy used for operating the electric equipment on the site of a generation facility located in the PJM Region or for the heating, lighting, air-conditioning and office equipment needs of buildings on the site of such a generation facility that are used in the operation, maintenance, or repair of the facility. Station Power does not include any energy (i) used to power synchronous condensers; (ii) used for pumping at a pumped storage facility; (iii) used for compressors at a compressed air energy storage facility; (iv) used for charging an Energy Storage Resource or a Capacity Storage Resource; or (v) used in association with restoration or black start service.

Sub-meter:

"Sub-meter" shall mean a metering point for electricity consumption that does not include all electricity consumption for the end-use customer as defined by the electric distribution company account number. PJM shall only accept sub-meter load data from end-use customers for measurement and verification of Regulation service as set forth in the Economic Load Response rules and PJM Manuals.

Subregional RTEP Project:

"Subregional RTEP Project" shall mean a transmission expansion or enhancement rated below 230 kV which is required for compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection.

Supplemental Project:

"Supplemental Project" shall mean a transmission expansion or enhancement that is not required for compliance with the following PJM criteria: system reliability, operational performance or economic criteria, pursuant to a determination by the Office of the Interconnection and is not a state public policy project pursuant to section 1.5.9(a)(ii) of Schedule 6 of this Agreement. Any system upgrades required to maintain the reliability of the system that are driven by a Supplemental Project are considered part of that Supplemental Project and are the responsibility of the entity sponsoring that Supplemental Project.

Synchronized Reserve:

"Synchronized Reserve" shall mean the reserve capability of generation resources that can be converted fully into energy or Demand Resources whose demand can be reduced within ten minutes from the request of the Office of the Interconnection dispatcher, and is provided by equipment that is electrically synchronized to the Transmission System.

Synchronized Reserve Event:

"Synchronized Reserve Event" shall mean a request from the Office of the Interconnection to generation resources and/or Demand Resources able, assigned or self-scheduled to provide Synchronized Reserve in one or more specified Reserve Zones or Reserve Sub-zones, within ten minutes, to increase the energy output or reduce load by the amount of assigned or self-scheduled Synchronized Reserve capability.

Synchronized Reserve Requirement:

"Synchronized Reserve Requirement" shall mean the megawatts required to be maintained in a Reserve Zone or Reserve Sub-zone as Synchronized Reserve, absent any increase to account for additional reserves scheduled to address operational uncertainty. The Synchronized Reserve Requirement is calculated in accordance with the PJM Manuals.

System:

"System" shall mean the interconnected electric supply system of a Member and its interconnected subsidiaries exclusive of facilities which it may own or control outside of the PJM Region. Each Member may include in its system the electric supply systems of any party or parties other than Members which are within the PJM Region, provided its interconnection agreements with such other party or parties do not conflict with such inclusion.

System Energy Price:

"System Energy Price" shall mean the energy component of the Locational Marginal Price, which is the price at which the Market Seller has offered to supply an additional increment of energy from a resource, calculated as specified in Section 2 of Schedule 1 of this Agreement.

Target Allocation:

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

Third Party Request:

"Third Party Request" shall mean any request or demand by any entity upon an Authorized Person or an Authorized Commission for release or disclosure of confidential information provided to the Authorized Person or Authorized Commission by the Office of the Interconnection or PJM Market Monitor. A Third Party Request shall include, but shall not be limited to, any subpoena, discovery request, or other request for confidential information made by any: (i) federal, state, or local governmental subdivision, department, official, agency or court, or (ii) arbitration panel, business, company, entity or individual.

Tie Line:

"Tie Line" shall have the same meaning provided in the Open Access Transmission Tariff.

Total Lost Opportunity Offer:

"Total Lost Opportunity Offer" is the applicable offer used to calculate lost opportunity credits. For pool-scheduled generating units specified in section 3.2.3(f-1) of this Schedule, the Total Lost Opportunity Offer shall equal the hourly offer integrated under the applicable offer curve for the LOC Deviation, as determined by the greater of the Committed Offer or last Real-Time Offer submitted for the offer on which the resource was committed in the Day-Ahead Energy Market for each hour in an Operating Day. For all other pool-scheduled generating units, the Total Lost Opportunity Offer shall equal the hourly offer integrated under the applicable offer curve for the LOC Deviation, as determined by the offer curve associated with the greater of the Committed Offer or Final Offer for each hour in an Operating Day. For self-scheduled generating units, the Total Lost Opportunity Offer shall equal the hourly offer integrated under

the applicable offer curve for the LOC Deviation, as determined by the either the cost-based offer on which the resource was dispatched or the offer curve associated with the highest available offer submitted by the Market Seller for each hour in an Operating Day.

Total Operating Reserve Offer:

"Total Operating Reserve Offer" is the applicable offer used to calculate Operating Reserve credits. The Total Operating Reserve Offer shall equal the sum of all individual hourly energy offers, inclusive of start-up costs (shut-down costs for Demand Resources) and no-load costs, for every hour in a Segment, integrated under the applicable offer curve up to the applicable megawatt output as further described in the PJM Manuals. The applicable offer curve shall be the lesser of the Committed Offer or Final Offer for each hour in an Operating Day.

Transmission Congestion Charge:

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

Transmission Congestion Credit:

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each FTR Holder, calculated and allocated as specified in Section 5.2 of this Schedule.

Transmission Customer:

"Transmission Customer shall have the meaning set forth in the PJM Tariff.

Transmission Facilities:

"Transmission Facilities" shall mean facilities that: (i) are within the PJM Region; (ii) meet the definition of transmission facilities pursuant to FERC's Uniform System of Accounts or have been classified as transmission facilities in a ruling by FERC addressing such facilities; and (iii) have been demonstrated to the satisfaction of the Office of the Interconnection to be integrated with the PJM Region transmission system and integrated into the planning and operation of the PJM Region to serve all of the power and transmission customers within the PJM Region.

Transmission Forced Outage:

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the

request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

Transmission Loading Relief:

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

Transmission Loading Relief Customer:

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

Transmission Loss Charge:

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

Transmission Owner:

"Transmission Owner" shall mean a Member that owns or leases with rights equivalent to ownership Transmission Facilities and is a signatory to the PJM Transmission Owners Agreement. Taking transmission service shall not be sufficient to qualify a Member as a Transmission Owner

Transmission Owner Upgrade:

"Transmission Owner Upgrade" shall mean an upgrade to a Transmission Owner's own transmission facilities, which is an improvement to, addition to, or replacement of a part of, an existing facility and is not an entirely new transmission facility.

Transmission Planned Outage:

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

2.6A Interface Prices.

PJM shall from time to time, as appropriate, define and revise Interface Pricing Points for purposes of calculating LMPs for energy exports to or energy imports from external balancing authority areas. Such Interface Pricing Points may represent external balancing authority areas, aggregates of external balancing authority areas, or portions of any external balancing authority area. Subject to the terms of this Section 2.6A, PJM may define Interface Pricing Points and interface pricing methods for a sub-area of a balancing authority area different from the pricing points and interface pricing methods applicable to the adjacent balancing authority area where the sub-area is located, and no action of the balancing authority area or any entity whose transactions do not source and/or sink within the sub-area shall affect the pricing points or interface pricing methods established for such sub-area. Definitions of Interface Pricing Points and price calculation methodologies may vary, depending on such factors as whether an external balancing authority area operates an organized electric market with locational pricing, whether the external balancing authority has entered an interregional congestion management agreement with PJM, and the availability of data from the external balancing authority area on such relevant items as unit costs, run status, and output. PJM shall negotiate in good faith with any external balancing authority that seeks to enter into an interregional congestion management agreement with PJM, and will file such agreement, upon execution, with the Commission. In the event PJM and an external balancing authority do not reach a mutually acceptable agreement, the external balancing authority may request, and PJM shall file with the Commission within 90 days after such request, an unexecuted congestion management agreement for such balancing authority. Nothing herein precludes PJM from entering into agreements with External Resource owners for the Dynamic Transfer of such resources, as contemplated by section 1.12 of this Schedule, at prices determined in accordance with such agreements. Acceptable pricing point definitions and pricing methodologies include, but are not limited to, the following:

- (a) External Balancing Authority Areas that are Part of Larger Centrally Dispatched Organizations. PJM shall determine a set of nodes external to the PJM system representing an external balancing authority area or set of balancing authority areas via flow analysis, utilizing standard power flow analysis tools, of the impact of transactions from the balancing authority area or areas on the transmission facilities connecting PJM with such external area(s). PJM shall then weight the contribution of each identified node to the calculation of the interface price. For each Interface Pricing Point, a set of Ttie Ltines will be defined and each node in the interface definition will be assigned to a Ttie Ltine. PJM shall utilize the sensitivity of the Ttie Ltines to an injection at each external pricing point to weight the node associated with that Ttie Ltine in the Interface Pricing Point calculation, as more fully described in the PJM Manuals.
- (b) External Areas that are Not Part of Larger Centrally Dispatched Organizations. PJM may define pricing points aggregating multiple directly or non-directly connected external balancing authority areas that are not part of larger centrally dispatched organizations. Prices at such points representing aggregated balancing authority areas shall be determined as described in subsection (a) above; provided, however, that PJM shall define Interface Pricing Points corresponding to individual, directly connected balancing authority areas, and establish alternative pricing methodologies for use as to such areas, to the extent that necessary supporting data is provided from the external area, as follows:

- (1) PJM will define an Interface Pricing Point corresponding to a directly connected individual external balancing authority area or sub-area within a directly connected balancing authority area and determine prices in accordance with High-Low Pricing, as defined in section (A) below, if the balancing authority area or sub-area within the balancing authority area provides the data described in section (B) below.
 - (A) Under High-Low Pricing, the price for imports of energy to PJM from the external balancing authority area shall equal the LMP calculated by PJM at the generator bus in such area with an output greater than 0 MW that has the lowest price in such area; and the price for exports of energy from PJM to the external balancing authority area shall equal the price at the generator bus in such area with an output greater than 0 MW that has the highest price in such area, updated every 5 minutes and aggregated on an hourly basis in the real time market and calculated for each hour in the Day-Ahead market, to the extent and for the periods that the information described below is provided.
 - (B) Such pricing point and pricing methodology shall be provided only to the extent the external balancing authority area or sub-area provides or causes to be provided to PJM real-time telemetered load, generation and similar data for such area or sub-area demonstrating that the transaction receiving such pricing sources, or sinks as appropriate, in such area or sub-area. Such data shall be of the type and in the form specified in the PJM Manuals. If such data is provided, any transaction, regardless of participant, sourcing or sinking in such area will be priced in accordance with section (A) above. During any hour in which any entity makes any purchases from other external areas outside of such area or sub-area (other than delivery of external designated Network Resources or such other exceptions specifically documented for such area or sub-area in the PJM Manuals) at the same time that energy sales into PJM are being made, or purchases energy from PJM for delivery into such area or sub-area while sales from such area to other external areas are simultaneously implemented (subject to any exceptions specifically documented for such area or sub-area in the PJM Manuals), pricing will revert to the applicable import or export pricing point that would otherwise be assigned to such external area or sub-area.
- PJM will define an Interface Pricing Point corresponding to an individual external balancing authority area or sub-area within a directly connected balancing authority area and determine prices in accordance with Marginal Cost Proxy Pricing, as defined in section (A) below, if the balancing authority area or sub-area within a directly connected balancing authority area provides, in addition to the data specified in section (1)(B) above, the data described in section (B) below, provided, however, that such pricing methodology shall terminate, and pricing shall be governed by the methodology described in subsection (a) or (b)(1) above, as applicable, on January 31, 2010 for any external balancing authority area that has not executed an interregional congestion management agreement with the Office of the Interconnection prior to January 31, 2010.

(A) Under Marginal Cost Proxy Pricing, PJM shall compare the individual bus LMP for each generator in the PJM model in the directly connected balancing authority area or sub-area having a telemetered output greater than zero MW to the marginal cost for that generator.

In real time, during each 5-minute calculation of LMPs for the PJM Region, PJM shall calculate the energy price for imports to PJM from such area or sub-area as the lowest LMP of any generator bus in such area or sub-area with an output greater than 0 MW that has an LMP less than its marginal cost for such 5-minute interval. If no generator with an output greater than 0 MW has an LMP less than its marginal cost, then the import price shall be the average of the bus LMPs for the set of generators in such area with an output greater than 0 MW that PJM determines to be the marginal units in that area for that 5-minute interval. PJM shall determine the set of marginal units in the external area by summing the output of the units serving load in that area in ascending order of the units' marginal costs until such sum equals the real time load in such external area. Units in the external area with marginal costs at or above that of the last unit included in the sum shall be the marginal units for that area for that interval.

PJM similarly shall calculate the energy price for exports from PJM to such area or sub-area as the highest LMP of any generator bus in such area or sub-area with an output greater than 0 MW that has an LMP greater than its marginal cost for such 5-minute interval. If no generator with an output greater than 0 MW has an LMP greater than its marginal cost, then the export price shall be the average of the bus LMPs for the set of generators with an output greater than 0 MW that PJM determines to be the marginal units in such area for that 5-minute interval, as described above. The hourly integrated import and export prices will be the average of all 5-minute interval prices during such hour.

Locational interface prices in the Day-ahead Market shall be calculated in the same manner as set forth above for the Real-time Market, utilizing information regarding whether each unit in such area is scheduled to run for each hour of the following day, provided as specified in subsection (B) below.

(B) Such pricing point and pricing methodology shall be provided only to the extent the external balancing authority area or sub-area provides or causes to be provided to PJM (i) unit-specific, real time telemetered output data for each unit in the PJM network model in such area or sub-area; (ii) unit-specific marginal cost data for each unit in the PJM network model in such area or sub-area, prepared in accordance with the PJM Manuals and subject to the same review of the PJM Independent Market Monitor as any such cost data for internal PJM units; and (iii) a day-ahead indication for each unit in such area or sub-area as to whether that unit is scheduled to run for each hour of the following day. During any hour in which any entity makes any purchases from other external areas outside of such area or sub-area (other than delivery of external designated Network Resources or such other exceptions specifically documented for such

area or sub-area in the PJM Manuals) at the same time that energy sales into PJM are being made, or purchases energy from PJM for delivery into such area or sub-area while sales from such area to other external areas are simultaneously implemented (subject to any exceptions specifically documented for such area or sub-area in the PJM Manuals), pricing will revert to the applicable import or export pricing point that would otherwise be assigned to such external area or sub-area.

- (C) PJM shall post the individual generator bus LMPs in the directly connected external control areas for informational purposes; provided, however, that no settlement shall take place at such external bus LMPs, and such nodes shall not be available for the submission of Virtual Transactions in the PJM Dayahead Energy Market.
- (3) All data provided to PJM by balancing and/or reliability authorities hereunder will be used only for the purpose of implementing the interface pricing set forth herein, will be treated confidentially by PJM, and will be afforded the same treatment provided to Member confidential data under the PJM Operating Agreement.
- (4) PJM reserves the right to audit the data supplied to PJM hereunder by giving written notice to the relevant balancing/reliability authority/market operator no more than three months following provision of such data, and at least ten (10) business days in advance of the date that PJM wishes to initiate such audit, with completion of the audit occurring within sixty (60) days of such notice. Each party shall be responsible for its own expenses related to any such audit.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

- (a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.
- (b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.
- (c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.
- (d) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Ttie Llines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Dayahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.
- (e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.
- (f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

- (a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.
- (b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.
- (c) The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation marketclearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the threepivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.
- (d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unitspecific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

(e) In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation marketclearing price in that hour shall be allocated and charged to each Internal Market Buyer in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

- (i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.
- (j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by historical

performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

```
\label{eq:correlation} \begin{aligned} & Correlation \ Score = r_{Signal,Response(\delta,\delta+5\ Min);} \\ & \delta \text{=-0 to 5 Min} \end{aligned} where \delta is delay.
```

The Office of the Interconnection shall calculate the delay score using the following equation:

```
Delay Score = Abs ((\delta- 5 Minutes) / (5 Minutes)).
```

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ε) as a function of the resource's Regulation capacity using the following equations:

```
Energy Score = 1 - 1/n \sum Abs (Error);
```

Error = Average of Abs ((Response - Regulation Signal) / (Hourly Average Regulation Signal)); and

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

```
Accuracy Score = max ((Delay Score) + (Correlation Score)) + (Energy Score).
```

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

- (a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.
- (b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:
 - (i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).
 - (ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.
 - (iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third

supplier result in a residual supply index greater than 1.0, at which point the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

- (a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.
- (b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

- (i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:
 - (A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to

operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

- (B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.
- (C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.
- (ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:
 - If the Office of the Interconnection directs a resource to operate (A) during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.
 - (B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits,

- identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.
- (iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.
- (c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.
- The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are Dynamic Transfers to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.
- (e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Real-time Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a

segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted

against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) - C.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:
 - (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.

- (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:
 - the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit, minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as (A*B) (C+D). The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market; or
 - 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.
- (f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.
- (f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.

A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) - C.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.
- (h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including

External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Dayahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are *Dynamic Transfers* to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

- (i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.
- (ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.

- (iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.
- (i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.
- (j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.
- (k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are *Dynamic Transfers* to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.
- (1) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues a Maximum Generation Emergency Alert; or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with marketbased offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.

- (m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.
- For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to (n) 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (1) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.

(o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

- (i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.
- (ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\begin{aligned} & \text{Ramp_Request}_t = \underbrace{ (\text{UDStarget}_{t-1} - \text{AOutput}_{t-1}) / (\text{UDSLAtime}_{t-1}) }_{t-1} \\ & \text{RL_Desired}_t = \text{AOutput}_{t-1} + \underbrace{ \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right) }_{t-1} \end{aligned}$$

where:

- 1. UDStarget = UDS basepoint for the previous UDS case
- 2. AOutput = Unit's output at case solution time
- 3. UDSLAtime = UDS look ahead time
- 4. Case_Eff_time = Time between base point changes
- 5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramplimited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must

also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh Day-Ahead MWh.
- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh UDS LMP Desired MW.
- Pool-scheduled generators that are not following dispatch shall be assessed balancing
 Operating Reserve deviations according to the following formula: hourly integrated
 Real-time MWh hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh Day-Ahead MWh.
- (o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

- (p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.
 - (i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:
 - (A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.
 - (B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.

- (C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.
- (ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:
 - (A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.
 - (B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.
- (q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:
- (i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).

- (ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).
- (iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.
- (iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.
- (r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

Each Market Participant that is a Load Serving Entity that is not part of an agreement to (a) share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.

- (b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:
 - i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Subzone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.
 - ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
 - iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.
- (c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.

The Synchronized Reserve Market Clearing Price shall be determined for each Reserve (d) Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Subzone.

The Reserve Penalty Factors for the Synchronized Reserve Requirement shall each be phased in as described below:

- i. \$250/MWh for the 2012/2013 Delivery Year;
- ii. \$400/MWh for the 2013/2014 Delivery Year;
- iii. \$550/MWh for the 2014/2015 Delivery Year; and
- iv. \$850/MWh as of the 2015/2016 Delivery Year.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

(e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer

price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

- (f) In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.
- (g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.
- (h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.
- (i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.
- (j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-

scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

(k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior

to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(1) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

- (a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.
- (b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
- (c) The Non-Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the

Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Subzone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve Sahl be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factors for the Primary Reserve Requirement shall each be phased in as described below:

- i. \$250/MWh for the 2012/2013 Delivery Year;
- ii. \$400/MWh for the 2013/2014 Delivery Year;
- iii. \$550/MWh for the 2014/2015 Delivery Year; and
- iv. \$850/MWh as of the 2015/2016 Delivery Year.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

- (d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.
- (e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit

order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.

- (f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.
- (g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.
- (h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

- (a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.
- (b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead

Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.

- (c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:
 - (i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.
 - (ii) Generation resources and Demand Resources with start times or shut-down times, respectively, equal to or less than 30 minutes are required to respond to dispatch directives from the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.
 - (iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.
 - (iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the

scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

- (d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement ("Base Day-ahead Scheduling Reserves credits") shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement ("Additional Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves Resources and are
 - (i) A Market Participant's Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant's hourly obligation to the total hourly obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant's load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant's total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A Market Participant's hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.
 - (ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in excess of its amount of cleared Increment Offers in the Day-ahead Energy

- Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.
- (e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

- (a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.
- (b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).
- (c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) C.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than

the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:
 - (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.
 - (ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) {(URTLMP UDALMP) x DAG, or (ii) {(URTLMP UB) x DAG where:

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

- (e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).
- (f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy

from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG - LMPDMW) x (UB - URTLMP)}where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

- (g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.
- (h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.
- (i) The amount of Synchronized Reserve provided by generating units maintaining reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day,

to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (1) below.

- (j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).
- (k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.
- (1) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.
- (m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is

effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

- (a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.
- The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with post-contingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not

also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.

- (c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.
- (d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

- (a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.
- (b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its

spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.

- (c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.
- (d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

- (a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.
- (b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

3.6 Metering Reconciliation.

3.6.1 Meter Correction Billing.

Metering errors and corrections will be reconciled at the end of each month by a meter correction charge (positive or negative). The monthly meter correction charge for tie meter corrections shall be the product of the positive or negative deviation in energy amounts, times the load weighted average real-time Locational Marginal Price for all hours of that month for all load buses in the PJM Region. The monthly meter correction charge for generator meter corrections shall be the product of the positive or negative deviation in energy amounts, times the generation weighted average Locational Marginal Price at that generator's bus for all hours of that month.

3.6.2 Meter Corrections Between Market Participants.

If a Market Participant or the Office of the Interconnection discovers a meter error affecting an interchange of energy with another Market Participant and makes the error known to such other Market Participant prior to the completion by the Office of the Interconnection of the accounting for the interchange, and if both Market Participants are willing to adjust hourly load records to compensate for the error and such adjustment does not affect other parties, an adjustment in load records may be made by the Market Participants in order to correct for the meter error, provided corrected information is furnished to the Office of the Interconnection in accordance with the Office of the Interconnection's accounting deadlines. No such adjustment may be made if the accounting for the Operating Day in which the interchange occurred has been completed by the Office of the Interconnection. If this is not practical, the error shall be accounted for by a correction at the end of the billing cycle. The Market Participants experiencing the error shall account for the full amount of the discrepancy and an appropriate debit or credit shall be applied to the Market Participants. For Market Participants that are Electric Distributors that request the debit and credit to be further allocated to all Network Service Users in their territory (as documented in the PJM Manuals), where all Load Serving Entities in the respective Electric Distributor territory agree, the appropriate debit or credit shall be applied among Network Service Users in proportion to their deliveries to load served in the applicable territory.

3.6.3 500 kV Meter Errors.

Billing shall be adjusted to account for errors in meters on 500 kV Transmission Facilities within the PJM Pre-Expansion Zones (excluding Allegheny Power) or between the PJM Pre-Expansion Zones (excluding Allegheny Power) and Allegheny Power. The Market Participant with the tie meter or generator meter experiencing the error shall account for the full amount of the discrepancy and an appropriate debit or credit shall be applied among Electric Distributors that report hourly net energy flows from metered Ttie Ltines in the Pre-Expansion Zones (excluding Allegheny Power) in proportion to the load consumed in their territories. The error shall be accounted for by a correction at the end of the billing cycle. For Market Participants that are Electric Distributors that request the debit and credit to be further allocated to all Network Service Users in their territory (as documented in the PJM Manuals), where all Load Serving Entities in the respective Electric Distributor territory agree, the appropriate debit or credit shall

be applied among Network Service Users in proportion to their deliveries to load served in the applicable territory.

3.6.4 Meter Corrections Between Control Areas.

An error between accounted for and metered interchange between a Party in the PJM Region and an entity in a Control Area other than the PJM Region shall be corrected by adjusting the hourly meter readings. If this is not practical, the error shall be accounted for by a correction at the end of the billing cycle. The Market Participant with ties to such other Control Area experiencing the error shall account for the full amount of the discrepancy. However, if the meter correction applies to a tie on the 500 kV system between the PJM Pre-Expansion Zones (excluding Allegheny Power) and other Control Areas, Electric Distributors that report hourly net energy flows from metered Ttie Ltines in the Pre-Expansion Zones (excluding Allegheny Power) shall account for the full amount of the discrepancy in proportion to the load consumed in their territories. The appropriate debit or credit shall be applied among Network Service Users in proportion to their deliveries to load served in the PJM Region. The Office of the Interconnection will adjust the actual interchange between the other Control Area and the PJM Region to maintain a proper record of inadvertent energy flow.

3.6.5 Meter Correction Data.

Meter error data shall be submitted to the Office of the Interconnection not later than the last business day of the month following the end of the monthly billing cycle applicable to the meter correction.

3.6.6 Correction Limits.

A Market Participant may not assert a claim for an adjustment in billing as a result of a meter error for any error discovered more than two years after the date on which the metering occurred. Any claim for an adjustment in billing as a result of a meter error shall be limited to bills for transactions occurring in the most recent annual accounting period of the billing Market Participant in which the meter error occurred, and the prior annual accounting period.

5.1 Transmission Congestion Charge Calculation.

5.1.1 Calculation by Office of the Interconnection.

When the transmission system is operating under constrained conditions, or as necessary to provide third-party transmission provider losses, the Office of the Interconnection shall calculate Transmission Congestion Charges for each Network Service User, Market Participants in the PJM Interchange Energy Market, and each Transmission Customer.

5.1.2 General.

The Office of the Interconnection shall calculate Congestion Prices in the form of Day-ahead Congestion Prices and Real-time Congestion Prices for the PJM Region, in accordance with Section 2 of this Schedule.

5.1.3 Network Service User Calculation.

- (a) Each Network Service User shall be charged for the increased cost of energy incurred by it during each constrained hour to deliver the output of its firm Generation Capacity Resources or other owned or contracted for resources, its firm bilateral purchases, and its non-firm bilateral purchases as to which it has elected to pay Transmission Congestion Charges.
- (b) Market Buyers shall be charged for transmission congestion resulting from all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant load bus.
- (c) Generating Market Buyers shall be reimbursed for transmission congestion resulting from all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant generation bus.
- (d) Market Sellers shall be reimbursed for transmission congestion resulting from all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant generation bus.
- (e) (i) The hourly net amount of energy delivered at each generation bus is determined by revenue meter data if available, or by the State Estimator, if revenue meter data is not available. The total load actually served at each load bus is initially determined by the State Estimator. For each Electric Distributor that reports hourly net energy flows from metered Ttie Llines and for which all generators within the Electric Distributor's territory report revenue quality, hourly net energy delivered, the total revenue meter load within the Electric Distributor's territory is calculated as the sum of all net import energy flows reported by their tie revenue meters and all net generation reported via generator revenue meters. The amount of load at each of such Electric Distributor's load buses calculated by the State Estimator is then adjusted, in proportion to its share of the total load of that Electric Distributor, in order that the total amount of load across all of the Electric Distributor's load buses matches its total revenue meter calculated load.

- (ii) To determine the amount of load served by each LSE in an Electric Distributor's territory, PJMSettlement utilizes the information submitted into PJM's internal energy scheduling tool by LSEs and Electric Distributors for their respective load settlements ("load contract"), including the names of the LSE responsible for serving the load and the Electric Distributor in whose territory the load is located, the number of megawatts of load assigned to the LSE for each hour, the Energy Settlement Area at which load is to be priced, and the start and end dates for the load contract. During the settlements process, load assigned to an LSE at a specified Energy Settlement Area is further assigned to individual load buses included in the Energy Settlement Area, based on the definition for the Energy Settlement Area as defined in Section 31.7 of the PJM Tariff, which specifies the percentage of the Energy Settlement Area that each bus represents, to identify the LSE's hourly megawatts of load at each bus. All megawatts of load assigned to LSEs in an Electric Distributor's territory as described herein are subtracted from the total megawatts of load for which the Electric Distributor is responsible as determined in subsection (e)(i) above.
- (iii) Electric Distributors that hold Provider of Last Resort ("POLR") auctions or similar load auctions may direct PJM to automatically assign megawatt hours for which the Electric Distributor is responsible, as determined in subsection (e)(ii) above, to the LSEs whose bids were accepted in the auction ("POLR Suppliers") based on the tranches the POLR Suppliers won in the auction, as a billing service, based on their contracts associated with the POLR load programs. In such case, the POLR Supplier's share of load shall be determined by multiplying the megawatt hours at each bus that were not specifically assigned under load contracts by the percentage of load won by the POLR Supplier in proportion to its share of the total POLR load of the Electric Distributor. This billing service may also apply to Electric Distributors and LSEs that mutually agree upon a transfer of load from the EDC to the LSE based upon a specified percentage of the megawatt hours at each bus that were not specifically assigned under load contracts.
- At the end of each hour during an Operating Day, the Office of the Interconnection shall (f) calculate the Transmission Congestion Charges at each Market Buyer's load bus to be charged for congestion at Real-time Congestion Prices determined by the product of the hourly Real-time Congestion Price at the relevant bus times the Market Buyer's megawatts of load (net of operating Behind The Meter Generation, but not to be less than zero) at the bus in that hour in excess of the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the hour in the Day-ahead Energy Market. To the extent that the load (net of operating Behind The Meter Generation, but not to be less than zero) actually served at a load bus is less than the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the Day-ahead Energy Market, the Market Buyer shall be paid for the difference at the Real-time Congestion Price for the load bus at the time of the shortfall. The megawatts of load at each load bus shall be the sum of the megawatts of load (net of operating Behind The Meter Generation, but not less than zero) for that bus of that Market Buyer plus any megawatts of that Market Buyer's bilateral sales attributable to that bus. The total load charge for each Market Buyer shall be the sum, for each of a Market Buyer's load buses, of the charges at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section

- 1.10.1a plus the charges at Real-time Congestion Prices determined as specified herein, net of any payments specified herein for each of the Market Buyer's load buses.
- (g) At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the transmission congestion payments at each Generating Market Buyer's generation bus to be paid at Real-time Congestion Prices, determined by the product of the hourly Real-time Congestion Price at the relevant bus times the Generating Market Buyer's megawatts of generation at such generation bus in the hour in excess of the energy scheduled to be injected at that bus in that hour in the Day-ahead Energy Market. To the extent that the energy actually injected at the generation bus is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Generating Market Buyer shall be debited for the difference at the Real-time Congestion Price for the generation bus at the time of the shortfall. The megawatts of generation at each generation bus shall be the sum of the megawatts of generation for that bus of that Generating Market Buyer plus any megawatts of bilateral purchases of that Generating Market Buyer attributable to that bus. The total generation revenue for each Generating Market Buyer shall be the sum, for each of the Generating Market Buyer's generation buses, of the revenues at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Congestion Prices determined as specified herein, net of any debits specified herein for each of the Market Buyer's generation buses.
- (h) A Market Seller shall be paid for transmission congestion that results from the Real-time sales of energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its credits determined by the product of (i) the hourly net amount of energy delivered to the PJM Region at the applicable generation or interface bus in excess of the amount scheduled to be delivered in that hour at that bus in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time Congestion Price at that bus. To the extent that the energy actually injected at a generation or interface bus in any hour is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time Congestion Price for the applicable bus at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum, for each of the Market Seller's generation buses or Interface Pricing Points, of the revenues at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Congestion Prices determined as specified herein, net of any debits specified herein for each of the Market Seller's generation or interface buses.

5.1.4 Transmission Customer Calculation.

Each Transmission Customer using Firm Point-to-Point Transmission Service (as defined in the PJM Tariff), each Network Customer, and each Transmission Customer using Non-Firm

Point-to-Point Transmission Service (as defined in the PJM Tariff) that has elected to pay Transmission Congestion Charges, shall be charged for the increased cost of energy during constrained hours for the delivery of energy using such Transmission Service. Except as specified in this subsection, a Transmission Congestion Charge shall be assessed for transmission use scheduled in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region and the Dayahead Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. Transmission Congestion Charges shall be assessed for real-time transmission use in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. A Transmission Customer shall be paid for Transmission Congestion Charges for real-time transmission use falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region.

5.1.4A Transaction Calculation

Each Market Participant entering into transactions in the PJM Interchange Energy Markets shall be charged for the increased cost of energy during constrained hours for the delivery of energy on the scheduled path. Except as specified in this subsection, a Transmission Congestion Charge shall be assessed for cleared MWh in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Congestion Price at the sink point and the Day-ahead Congestion Price at the source point. Transmission Congestion Charges shall be assessed for real-time cleared MWh in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Congestion Price at the sink point and the Real-time Congestion Charges for real-time cleared MWh falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Congestion Price at the sink point and the Real-time Congestion Price at the source point.

5.1.5 Operating Margin Customer Calculation.

Each Control Area purchasing Operating Margin shall be assessed Transmission Congestion Charges for any increase in the cost of energy resulting from the provision of Operating Margin. The Transmission Congestion Charge shall be the amount of Operating Margin purchased in an hour multiplied by the difference in the Locational Marginal Price at what would be the delivery Interface Pricing Point and the Locational Marginal Price at what would be the source Interface Pricing Point, if the operating contingency that was the basis for the purchase of Operating

Margin had occurred in that hour. Operating Margin may be allocated among multiple source and delivery Interface Pricing Points in accordance with an applicable load flow study.

5.1.6 Transmission Loading Relief Customer Calculation.

- (a) Each Transmission Loading Relief Customer shall be assessed Transmission Congestion Charges for any increase in the cost of energy in the PJM Region resulting from its energy schedules over contract paths outside the PJM Region during Transmission Loading Relief.
- (b) The Transmission Congestion Charge shall be the total amount of energy specified in such energy schedules multiplied by the difference between a Locational Marginal Price calculated by the Office of the Interconnection for the energy schedule source location specified in the NERC Interchange Distribution Calculator and a Locational Marginal Price calculated by the Office of the Interconnection for the energy schedule sink location specified in the NERC Interchange Distribution Calculator. Transmission Congestion Charges that are less than zero shall be set equal to zero for Transmission Loading Relief Customers.
- (c) The Office of the Interconnection will determine the Locational Marginal Prices at the energy schedule source and sink locations external to PJM with reference to and based solely on the prices of energy in the PJM Region and at the Interface Pricing Points between adjacent Control Areas and the PJM Region and the system conditions and actual power flow distributions as described by the PJM State Estimator program. The Office of the Interconnection will determine the Locational Marginal Prices at the external energy schedule source and sink locations and the resulting Congestion Charge based on the portion of the energy schedule that flows through the PJM Region as reflected by the flow distributions from the PJM State Estimator program.

5.1.7 Total Transmission Congestion Charges.

The total Transmission Congestion Charges collected by PJMSettlement each hour will be the aggregate net amounts determined as specified in the PJM Manuals. PJMSettlement shall collect Transmission Congestion Charges for each hour the transmission system operates under constrained conditions.

5.4 Transmission Loss Charge Calculation.

5.4.1 Calculation by Office of the Interconnection.

The Office of the Interconnection shall calculate Transmission Loss Charges for each Network Service User, Market Participant in the PJM Interchange Energy Market, and each Transmission Customer.

5.4.2 General.

- (a) The basis for the Transmission Loss Charges shall be the differences in the Locational Marginal Prices, defined as the Loss Price at a bus, between points of delivery and points of receipt, as determined in accordance with Section 2 of this Schedule.
- (b) The Office of the Interconnection shall calculate Loss Prices in the form of Day-ahead Loss Prices and Real-time Loss Prices for the PJM Region, in accordance with Section 2 of this Schedule.

5.4.3 Network Service User Calculation.

- (a) Each Network Service User shall be charged for the increased cost of transmission losses to deliver the output of its firm Capacity Resources or other owned or contracted for resources, its firm bilateral purchases, and its non-firm bilateral purchases.
- (b) Market Buyers shall be charged for transmission losses resulting from all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Loss Price applicable to each relevant load bus.
- (c) Generating Market Buyers shall be reimbursed for transmission losses resulting from all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Loss Price applicable to each relevant generation bus.
- (d) Market Sellers shall be reimbursed for transmission losses resulting from all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead Loss Prices applicable to each relevant generation bus.
- (e) (i) The hourly net amount of energy delivered at each generation bus is determined by revenue meter data, if available, or by the State Estimator, if revenue meter data is not available. The total load actually served at each load bus is initially determined by the State Estimator. For each Electric Distributor that reports hourly net energy flows from metered Ttie Ltines and for which all generators within the Electric Distributor's territory report revenue quality, hourly net energy delivered, the total revenue meter load within the Electric Distributor's territory is calculated as the sum of all net import energy flows reported by their tie revenue meters and all net generation reported via generator revenue meters. The amount of load at each of such Electric Distributor's load buses calculated by the State Estimator is then adjusted, in proportion

to its share of the total load of that Electric Distributor, in order that the total amount of load across all of the Electric Distributor's load buses matches its total revenue meter calculated load.

- (ii) To determine the amount of load served by each LSE in an Electric Distributor's territory, PJMSettlement utilizes the information submitted into PJM's internal energy scheduling tool by LSEs and Electric Distributors for their respective load contracts, including the names of the LSE responsible for serving the load and the Electric Distributor in whose territory the load is located, the number of megawatts of load assigned to the LSE for each hour, the Energy Settlement Area at which load is to be priced, and the start and end dates for the load contract. During the settlements process, load assigned to an LSE at a specified Energy Settlement Area is further assigned to individual load buses included in the Energy Settlement Area, based on the definition for the Energy Settlement Area as defined in Section 31.7 of the PJM Tariff, which specifies the percentage of the Energy Settlement Area that each bus represents, to identify the LSE's hourly megawatts of load at each bus. All megawatts of load assigned to LSEs in an Electric Distributor's territory as described herein are subtracted from the total megawatts of load for which the Electric Distributor is responsible as determined in subsection (e)(i) above.
- (iii) Electric Distributors that hold POLR auctions or similar load auctions may direct PJM to automatically assign megawatt hours for which the Electric Distributor is responsible, as determined in subsection (e)(ii) above, to the POLR Suppliers based on the tranches the POLR Suppliers won in the auction, as a billing service, based on their contracts associated with the POLR load programs. In such case, the POLR Supplier's share of load shall be determined by multiplying the megawatt hours at each bus that were not specifically assigned under load contracts by the percentage of load won by the POLR Supplier in proportion to its share of the total POLR load of the Electric Distributor. This billing service may also apply to Electric Distributors and LSEs that mutually agree upon a transfer of load from the EDC to the LSE based upon a specified percentage of the megawatt hours at each bus that were not specifically assigned under load contracts.
- At the end of each hour during an Operating Day, the Office of the Interconnection shall (f) calculate the Transmission Loss Charges at each Market Buyer's load bus to be charged for losses at Real-time Loss Prices determined by the product of the hourly Real-time Loss Prices at the relevant bus times the Market Buyer's megawatts of load (net of operating Behind The Meter Generation, but not to be less than zero) at the bus in that hour in excess of the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the hour in the Day-ahead Energy Market. To the extent that the load (net of operating Behind The Meter Generation, but not to be less than zero) actually served at a load bus is less than the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the Day-ahead Energy Market, the Market Buyer shall be paid for the difference at the Real-time Loss Price for the load bus at the time of the shortfall. The megawatts of load at each load bus shall be the sum of the megawatts of load (net of operating Behind The Meter Generation, but not less than zero) for that bus of that Market Buyer plus any megawatts of that Market Buyer's bilateral sales attributable to that bus. The total load charge for each Market Buyer shall be the sum, for each of a Market Buyer's load buses, of the charges at Day-ahead Loss Price determined in accordance with the Day-ahead

Energy Market as specified in Section 1.10.1a plus the charges at Real-time Loss Prices determined as specified herein, net of any payments specified herein for each of the Market Buyer's load buses.

- At the end of each hour during an Operating Day, the Office of the Interconnection shall (g) calculate the transmission loss payments at each Generating Market Buyer's generation bus to be paid at Real-time Loss Prices, determined by the product of the hourly Real-time Loss Price at the relevant bus times the Generating Market Buyer's megawatts of generation at such generation bus in the hour in excess of the energy scheduled to be injected at that bus in that hour in the Day-ahead Energy Market. To the extent that the energy actually injected at the generation bus is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Generating Market Buyer shall be debited for the difference at the Real-time Loss Price for the generation bus at the time of the shortfall. The megawatts of generation at each generation bus shall be the sum of the megawatts of generation for that bus of that Generating Market Buyer plus any megawatts of bilateral purchases of that Generating Market Buyer attributable to that bus. The total generation revenue for each Generating Market Buyer shall be the sum, for each of the Generating Market Buyer's generation buses, of the revenues at Day-ahead Loss Price determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Loss Prices determined as specified herein, net of any debits specified herein for each of the Market Buyer's generation buses.
- (h) A Market Seller shall be paid for transmission losses that results from the Real-time sales of Spot Market Energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its credits determined by the product of (i) the hourly net amount of energy delivered to the PJM Region at the applicable generation or interface bus in excess of the amount scheduled to be delivered in that hour at that bus in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time Loss Price at that bus. To the extent that the energy actually injected at a generation bus or Interface Pricing Point in any hour is less than the energy scheduled to be injected at that bus or point in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time Loss Price for the applicable bus or point at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum, for each of the Market Seller's generation buses or Interface Pricing Points, of the revenues at Day-ahead Loss Prices determined in accordance with the Dayahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Loss Prices determined as specified herein, net of any debits specified herein for each of the Market Seller's generation buses or Interface Pricing Points.

5.4.4 Transmission Customer Calculation.

Each Transmission Customer using Firm Point-to-Point Transmission Service (as defined in the PJM Tariff), each Network Customer, and each Transmission Customer using Non-Firm Point-

to-Point Transmission Service (as defined in the PJM Tariff), shall be charged for the increased cost of transmission losses for the delivery of energy using such Transmission Service. Except as specified in this subsection, a Transmission Loss Charge shall be assessed for transmission use scheduled in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Loss Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region and the Day-ahead Loss Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. Transmission Loss Charges shall be assessed for real-time transmission use in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Loss Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Loss Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. A Transmission Customer shall be paid for Transmission Loss Charges for real-time transmission use falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Loss Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Loss Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region or the source Interface Pricing Point at the boundary of the PJM Region.

5.4.4A Transaction Calculation.

Each Market Participant entering into transactions in the PJM Interchange Energy Market shall be charged for the increased cost of transmission losses on the scheduled path. Except as specified in this subsection, a Transmission Loss Charge shall be assessed for cleared MWh in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Loss Price at the sink point and the Day-ahead Loss Price at the source point. Transmission Loss Charges shall be assessed for real-time cleared MWh in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Loss Price at the sink point and the Real-time Loss Price at the source point. Such Market Participant shall be paid for Transmission Loss Charges for real-time cleared MWh falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Loss Price at the source point.

5.4.5 Total Transmission Loss Charges.

The total Transmission Loss Charges collected by PJMSettlement each hour will be the aggregate net amounts determined as specified in this Schedule.

PJM Open	Access Transn	nission Tariff	f Redline Sectio	ons

Definitions – T – U - V

Tangible Net Worth:

Tangible Net Worth is all assets (not including any intangible assets such as goodwill) less all liabilities. Any such calculation may be reduced by PJMSettlement upon review of the available financial information.

Target Allocation:

"Target Allocation" shall mean the allocation of Transmission Congestion Credits as set forth in Section 5.2.3 of this Schedule or the allocation of Auction Revenue Rights Credits as set forth in Section 7.4.3 of this Schedule.

Third Incremental Auction:

"Third Incremental Auction" shall mean an Incremental Auction conducted three months before the Delivery Year to which it relates.

Third-Party Sale:

Any sale for resale in interstate commerce to a Power Purchaser that is not designated as part of Network Load under the Network Integration Transmission Service but not including a sale of energy through the PJM Interchange Energy Market established under the PJM Operating Agreement.

Tie Line:

"Tie Line" shall mean a circuit connecting two balancing authority areas, Control Areas or fully metered electric system regions. Tie Lines may be classified as external or internal as set forth in the PJM Manuals.

Total Lost Opportunity Offer:

"Total Lost Opportunity Offer" is the applicable offer used to calculate lost opportunity credits. For pool-scheduled generating units specified in section 3.2.3(f-1) of this Schedule, the Total Lost Opportunity Offer shall equal the hourly offer integrated under the applicable offer curve for the LOC Deviation, as determined by the greater of the Committed Offer or last Real-Time Offer submitted for the offer on which the resource was committed in the Day-Ahead Energy Market for each hour in an Operating Day. For all other pool-scheduled generating units, the Total Lost Opportunity Offer shall equal the hourly offer integrated under the applicable offer curve for the LOC Deviation, as determined by the offer curve associated with the greater of the Committed Offer or Final Offer for each hour in an Operating Day. For self-scheduled generating units, the Total Lost Opportunity Offer shall equal the hourly offer integrated under the applicable offer curve for the LOC Deviation, as determined by the either the cost-based

offer on which the resource was dispatched or the offer curve associated with the highest available offer submitted by the Market Seller for each hour in an Operating Day.

Total Net Obligation:

Total Net Obligation is all unpaid billed Net Obligations plus any unbilled Net Obligation incurred to date, as determined by PJMSettlement on a daily basis, plus any other Obligations owed to PJMSettlement at the time.

Total Net Sell Position:

Total Net Sell Position is all unpaid billed Net Sell Positions plus any unbilled Net Sell Positions accrued to date, as determined by PJMSettlement on a daily basis.

Total Operating Reserve Offer:

"Total Operating Reserve Offer" is the applicable offer used to calculate Operating Reserve credits. The Total Operating Reserve Offer shall equal the sum of all individual hourly energy offers, inclusive of start-up costs (shut-down costs for Demand Resources) and no-load costs, for every hour in a Segment, integrated under the applicable offer curve up to the applicable megawatt output as further described in the PJM Manuals. The applicable offer curve shall be the lesser of the Committed Offer or Final Offer for each hour in an Operating Day.

Transmission Congestion Charge:

"Transmission Congestion Charge" shall mean a charge attributable to the increased cost of energy delivered at a given load bus when the transmission system serving that load bus is operating under constrained conditions, or as necessary to provide energy for third-party transmission losses in accordance with Section 9.3, which shall be calculated and allocated as specified in Section 5.1 of this Schedule.

Transmission Congestion Credit:

"Transmission Congestion Credit" shall mean the allocated share of total Transmission Congestion Charges credited to each FTR Holder, calculated and allocated as specified in Section 5.2 of this Schedule.

Transmission Customer:

Any Eligible Customer (or its Designated Agent) that (i) executes a Service Agreement, or (ii) requests in writing that the Transmission Provider file with the Commission, a proposed unexecuted Service Agreement to receive transmission service under Part II of the Tariff. This term is used in the Part I Common Service Provisions and in Part VI to include customers receiving transmission service under Part II and Part III of this Tariff.

Where used in Attachment K-Appendix of the Tariff or Schedule 1 of the Operating Agreement, Transmission Customer shall mean an entity using Point-to-Point Transmission Service.

Transmission Facilities

Transmission Facilities shall have the meaning set forth in the Operating Agreement.

Transmission Forced Outage:

"Transmission Forced Outage" shall mean an immediate removal from service of a transmission facility by reason of an Emergency or threatened Emergency, unanticipated failure, or other cause beyond the control of the owner or operator of the transmission facility, as specified in the relevant portions of the PJM Manuals. A removal from service of a transmission facility at the request of the Office of the Interconnection to improve transmission capability shall not constitute a Forced Transmission Outage.

Transmission Injection Rights:

Capacity Transmission Injection Rights and Energy Transmission Injection Rights.

Transmission Interconnection Customer:

An entity that submits an Interconnection Request to interconnect or add Merchant Transmission Facilities to the Transmission System or to increase the capacity of Merchant Transmission Facilities interconnected with the Transmission System in the PJM Region or an entity that submits an Upgrade Request for Merchant Network Upgrades (including accelerating the construction of any transmission enhancement or expansion, other than Merchant Transmission Facilities, that is included in the Regional Transmission Expansion Plan prepared pursuant to Schedule 6 of the Operating Agreement).

Transmission Interconnection Facilities Study:

A Facilities Study related to a Transmission Interconnection Request.

Transmission Interconnection Feasibility Study:

A study conducted by the Transmission Provider in accordance with Section 36.2 of the Tariff.

Transmission Interconnection Request:

A request by a Transmission Interconnection Customer pursuant to Part IV of the Tariff to interconnect or add Merchant Transmission Facilities to the Transmission System or to increase the capacity of existing Merchant Transmission Facilities interconnected with the Transmission System in the PJM Region.

Transmission Loading Relief:

"Transmission Loading Relief" shall mean NERC's procedures for preventing operating security limit violations, as implemented by PJM as the security coordinator responsible for maintaining transmission security for the PJM Region.

Transmission Loading Relief Customer:

"Transmission Loading Relief Customer" shall mean an entity that, in accordance with Section 1.10.6A, has elected to pay Transmission Congestion Charges during Transmission Loading Relief in order to continue energy schedules over contract paths outside the PJM Region that are increasing the cost of energy in the PJM Region.

Transmission Loss Charge:

"Transmission Loss Charge" shall mean the charges to each Market Participant, Network Customer, or Transmission Customer for the cost of energy lost in the transmission of electricity from a generation resource to load as specified in Section 5 of this Schedule.

Transmission Owner:

Each entity that owns, leases or otherwise has a possessory interest in facilities used for the transmission of electric energy in interstate commerce under the Tariff. The Transmission Owners are listed in Attachment L.

Transmission Owner Attachment Facilities:

That portion of the Transmission Owner Interconnection Facilities comprised of all Attachment Facilities on the Interconnected Transmission Owner's side of the Point of Interconnection.

Transmission Owner Interconnection Facilities:

All Interconnection Facilities that are not Customer Interconnection Facilities and that, after the transfer under Section 5.5 of Appendix 2 to Attachment P of the PJM Tariff to the Interconnected Transmission Owner of title to any Transmission Owner Interconnection Facilities that the Interconnection Customer constructed, are owned, controlled, operated and maintained by the Interconnected Transmission Owner on the Interconnected Transmission Owner's side of the Point of Interconnection identified in appendices to the Interconnection Service Agreement and to the Interconnection Construction Service Agreement, including any modifications, additions or upgrades made to such facilities and equipment, that are necessary to physically and electrically interconnect the Customer Facility with the Transmission System or interconnected distribution facilities.

Transmission Owner Upgrade:

"Transmission Owner Upgrade" shall have the same meaning provided in the Operating Agreement.

Transmission Planned Outage:

"Transmission Planned Outage" shall mean any transmission outage scheduled in advance for a pre-determined duration and which meets the notification requirements for such outages specified in this Agreement or the PJM Manuals.

Transmission Provider:

The Transmission Provider shall be the Office of the Interconnection for all purposes, provided that the Transmission Owners will have the responsibility for the following specified activities:

- (a) The Office of the Interconnection shall direct the operation and coordinate the maintenance of the Transmission System, except that the Transmission Owners will continue to direct the operation and maintenance of those transmission facilities that are not listed in the PJM Designated Facilities List contained in the PJM Manual on Transmission Operations;
- (b) Each Transmission Owner shall physically operate and maintain all of the facilities that it owns; and
- (c) When studies conducted by the Office of the Interconnection indicate that enhancements or modifications to the Transmission System are necessary, the Transmission Owners shall have the responsibility, in accordance with the applicable terms of the Tariff, Operating Agreement and/or the Consolidated Transmission Owners Agreement to construct, own, and finance the needed facilities or enhancements or modifications to facilities.

Transmission Provider's Monthly Transmission System Peak:

The maximum firm usage of the Transmission Provider's Transmission System in a calendar month.

Transmission Service:

Point-To-Point Transmission Service provided under Part II of the Tariff on a firm and non-firm basis.

Transmission Service Request:

A request for Firm Point-To-Point Transmission Service or a request for Network Integration Transmission Service.

Transmission System:

The facilities controlled or operated by the Transmission Provider within the PJM Region that are used to provide transmission service under Part II and Part III of the Tariff.

Transmission Withdrawal Rights:

Firm Transmission Withdrawal Rights and Non-Firm Transmission Withdrawal Rights.

Uncleared Bid Exposure:

Uncleared Bid Exposure is a measure of exposure from Increment Offers and Decrement Bids activity relative to a Participant's established credit as defined in this policy. It is used only as a pre-screen to determine whether a Participant's Increment Offers and Decrement Bids should be subject to Increment Offer and Decrement Bid Screening.

Unconstrained LDA Group:

"Unconstrained LDA Group" shall mean a combined group of LDAs that form an electrically contiguous area and for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD. Any LDA for which a separate Variable Resource Requirement Curve has not been established under Section 5.10 of Attachment DD shall be combined with all other such LDAs that form an electrically contiguous area.

Unforced Capacity:

"Unforced Capacity" shall have the meaning specified in the Reliability Assurance Agreement.

Unsecured Credit:

Unsecured Credit is any credit granted by PJMSettlement to a Participant that is not secured by a form of Financial Security.

Unsecured Credit Allowance:

Unsecured Credit Allowance is Unsecured Credit extended by PJMSettlement in an amount determined by PJMSettlement's evaluation of the creditworthiness of a Participant. This is also defined as the amount of credit that a Participant qualifies for based on the strength of its own financial condition without having to provide Financial Security. See also: "Working Credit Limit."

Updated VRR Curve:

"Updated VRR Curve" shall mean the Variable Resource Requirement Curve for use in the Base Residual Auction of the relevant Delivery Year, updated to reflect any change in the Reliability Requirement from the Base Residual Auction to such Incremental Auction, and for Delivery

Years through May 31, 2018, the Short-term Resource Procurement Target applicable to the relevant Incremental Auction.

Updated VRR Curve Decrement:

"Updated VRR Curve Decrement" shall mean the portion of the Updated VRR Curve to the left of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year and adjusted, if applicable, by a change in Unforced Capacity commitments associated with the transition provision of section 5.14C, 5.14D (as related to the 2016/2017 Delivery Year), and 5.14E of this Attachment DD.

Updated VRR Curve Increment:

"Updated VRR Curve Increment" shall mean the portion of the Updated VRR Curve to the right of a vertical line at the level of Unforced Capacity on the x-axis of such curve equal to the net Unforced Capacity committed to the PJM Region as a result of all prior auctions conducted for such Delivery Year and adjusted, if applicable, by a change in Unforced Capacity commitments associated with the transition provision of section 5.14C, 5.14D (as related to the 2016/2017 Delivery Year), and 5.14E of this Attachment DD.

Upgrade Construction Service Agreement:

That agreement entered into by an Eligible Customer, Upgrade Customer or Interconnection Customer proposing Merchant Network Upgrades, a Transmission Owner, and the Transmission Provider, pursuant to Subpart B of Part VI of the Tariff, and in the form set forth in Attachment GG of the Tariff.

Upgrade Customer:

A customer that submits an Upgrade Request pursuant to Section 7.8 of Schedule 1 of the Operating Agreement.

Upgrade-Related Rights:

Incremental Auction Revenue Rights, Incremental Available Transfer Capability Revenue Rights, Incremental Deliverability Rights, and Incremental Capacity Transfer Rights.

Upgrade Request:

A request submitted in the form prescribed in Attachment EE of the Tariff, for evaluation by the Transmission Provider of the feasibility and estimated costs of (a) a Merchant Network Upgrade or (b) the Customer-Funded Upgrades that would be needed to provide the Incremental Auction Revenue Rights specified in a request pursuant to Section 7.8 of Schedule 1 of the Operating Agreement.

Up-to Congestion Counterflow Transaction:

An Up-to Congestion Transaction will be deemed an Up-to Congestion Counterflow Transaction if the following value is negative: (a) when bidding, the lower of the bid price and the prior Up-to Congestion Historical Month's average real-time value for the transaction; or (b) for cleared Virtual Transactions, the cleared day-ahead price of the Virtual Transactions.

Up-to Congestion Historical Month:

An Up-to Congestion Historical Month is a consistently-defined historical period nominally one month long that is as close to a calendar month as PJM determines is practical.

Up-to Congestion Prevailing Flow Transaction:

An Up-to Congestion Transaction will be deemed an Up-to Congestion Prevailing Flow Transaction if it is not an Up-to Congestion Counterflow Transaction.

Up-to Congestion Reference Price:

The Up-to Congestion Reference Price for an Up-to Congestion Transaction is the specified percentile price differential between source and sink (defined as sink price minus source price) for hourly real-time prices experienced over the prior Up-to Congestion Historical Month, averaged with the same percentile value calculated for the second prior Up-to Congestion Historical Month. Up-to Congestion Reference Prices shall be calculated using the following historical percentiles:

For Up-to Congestion Prevailing Flow Transactions: 30th percentile For Up-to Congestion Counterflow Transactions when bid: 20th percentile For Up-to Congestion Counterflow Transactions when cleared: 5th percentile

Up-to Congestion Transaction:

"Up-to Congestion Transaction" shall have the meaning specified in Section 1.10.1A of this Schedule.

Variable Loads:

"Variable Loads" shall have the meaning specified in section 1.5A.6 of this Schedule.

Variable Resource Requirement Curve:

"Variable Resource Requirement Curve" shall mean a series of maximum prices that can be cleared in a Base Residual Auction for Unforced Capacity, corresponding to a series of varying resource requirements based on varying installed reserve margins, as determined by the Office of the Interconnection for the PJM Region and for certain Locational Deliverability Areas in accordance with the methodology provided in Section 5.

Virtual Credit Exposure:

Virtual Credit Exposure is the amount of potential credit exposure created by a market participant's bid submitted into the Day-ahead market, as defined in this policy.

Virtual Transaction:

"Virtual Transaction" shall mean a Decrement Bid, Increment Offer and/or Up-to Congestion Transaction.

Virtual Transaction Screening:

Virtual Transaction Screening is the process of reviewing the Virtual Credit Exposure of submitted Virtual Transactions against the Credit Available for Virtual Transactions. If the credit required is greater than credit available, then the Virtual Transactions will not be accepted.

Virtual Transactions Net Activity:

Virtual Transactions Net Activity shall mean the aggregate net total, resulting from Virtual Transactions, of (i) Spot Market Energy charges, (ii) Transmission Congestion Charges, and (iii) Transmission Loss Charges, calculated as set forth in Attachment K-Appendix. Virtual Transactions Net Activity may be positive or negative.

2.6A Interface Prices.

PJM shall from time to time, as appropriate, define and revise Interface Pricing Points for purposes of calculating LMPs for energy exports to or energy imports from external balancing authority areas. Such Interface Pricing Points may represent external balancing authority areas, aggregates of external balancing authority areas, or portions of any external balancing authority area. Subject to the terms of this Section 2.6A, PJM may define Interface Pricing Points and interface pricing methods for a sub-area of a balancing authority area different from the pricing points and interface pricing methods applicable to the adjacent balancing authority area where the sub-area is located, and no action of the balancing authority area or any entity whose transactions do not source and/or sink within the sub-area shall affect the pricing points or interface pricing methods established for such sub-area. Definitions of Interface Pricing Points and price calculation methodologies may vary, depending on such factors as whether an external balancing authority area operates an organized electric market with locational pricing, whether the external balancing authority has entered an interregional congestion management agreement with PJM, and the availability of data from the external balancing authority area on such relevant items as unit costs, run status, and output. PJM shall negotiate in good faith with any external balancing authority that seeks to enter into an interregional congestion management agreement with PJM, and will file such agreement, upon execution, with the Commission. In the event PJM and an external balancing authority do not reach a mutually acceptable agreement, the external balancing authority may request, and PJM shall file with the Commission within 90 days after such request, an unexecuted congestion management agreement for such balancing authority. Nothing herein precludes PJM from entering into agreements with External Resource owners for the Dynamic Transfer of such resources, as contemplated by section 1.12 of this Schedule, at prices determined in accordance with such agreements. Acceptable pricing point definitions and pricing methodologies include, but are not limited to, the following:

- Organizations. PJM shall determine a set of nodes external to the PJM system representing an external balancing authority area or set of balancing authority areas via flow analysis, utilizing standard power flow analysis tools, of the impact of transactions from the balancing authority area or areas on the transmission facilities connecting PJM with such external area(s). PJM shall then weight the contribution of each identified node to the calculation of the interface price. For each Interface Pricing Point, a set of Ttie Ltines will be defined and each node in the interface definition will be assigned to a Ttie Ltine. PJM shall utilize the sensitivity of the Ttie Ltines to an injection at each external pricing point to weight the node associated with that Ttie Ltine in the Interface Pricing Point calculation, as more fully described in the PJM Manuals.
- (b) External Areas that are Not Part of Larger Centrally Dispatched Organizations. PJM may define pricing points aggregating multiple directly or non-directly connected external balancing authority areas that are not part of larger centrally dispatched organizations. Prices at such points representing aggregated balancing authority areas shall be determined as described in subsection (a) above; provided, however, that PJM shall define Interface Pricing Points corresponding to individual, directly connected balancing authority areas, and establish alternative pricing methodologies for use as to such areas, to the extent that necessary supporting data is provided from the external area, as follows:

- (1) PJM will define an Interface Pricing Point corresponding to a directly connected individual external balancing authority area or sub-area within a directly connected balancing authority area and determine prices in accordance with High-Low Pricing, as defined in section (A) below, if the balancing authority area or sub-area within the balancing authority area provides the data described in section (B) below.
 - (A) Under High-Low Pricing, the price for imports of energy to PJM from the external balancing authority area shall equal the LMP calculated by PJM at the generator bus in such area with an output greater than 0 MW that has the lowest price in such area; and the price for exports of energy from PJM to the external balancing authority area shall equal the price at the generator bus in such area with an output greater than 0 MW that has the highest price in such area, updated every 5 minutes and aggregated on an hourly basis in the real time market and calculated for each hour in the Day-Ahead market, to the extent and for the periods that the information described below is provided.
 - Such pricing point and pricing methodology shall be provided only to the extent the external balancing authority area or sub-area provides or causes to be provided to PJM real-time telemetered load, generation and similar data for such area or sub-area demonstrating that the transaction receiving such pricing sources, or sinks as appropriate, in such area or sub-area. Such data shall be of the type and in the form specified in the PJM Manuals. If such data is provided, any transaction, regardless of participant, sourcing or sinking in such area will be priced in accordance with section (A) above. During any hour in which any entity makes any purchases from other external areas outside of such area or sub-area (other than delivery of external designated Network Resources or such other exceptions specifically documented for such area or sub-area in the PJM Manuals) at the same time that energy sales into PJM are being made, or purchases energy from PJM for delivery into such area or sub-area while sales from such area to other external areas are simultaneously implemented (subject to any exceptions specifically documented for such area or sub-area in the PJM Manuals), pricing will revert to the applicable import or export pricing point that would otherwise be assigned to such external area or sub-area.
- (2) PJM will define an Interface Pricing Point corresponding to an individual external balancing authority area or sub-area within a directly connected balancing authority area and determine prices in accordance with Marginal Cost Proxy Pricing, as defined in section (A) below, if the balancing authority area or sub-area within a directly connected balancing authority area provides, in addition to the data specified in section (1)(B) above, the data described in section (B) below provided, however, that such pricing methodology shall terminate, and pricing shall be governed by the methodology described in subsection (a) or (b)(1) above, as applicable, on January 31, 2010 for any external balancing authority area that has not executed an interregional congestion management agreement with the Office of the Interconnection prior to January 31, 2010.

(A) Under Marginal Cost Proxy Pricing, PJM shall compare the individual bus LMP for each generator in the PJM model in the directly connected balancing authority area or sub-area having a telemetered output greater than zero MW to the marginal cost for that generator.

In real time, during each 5-minute calculation of LMPs for the PJM Region, PJM shall calculate the energy price for imports to PJM from such area or sub-area as the lowest LMP of any generator bus in such area or sub-area with an output greater than 0 MW that has an LMP less than its marginal cost for such 5-minute interval. If no generator with an output greater than 0 MW has an LMP less than its marginal cost, then the import price shall be the average of the bus LMPs for the set of generators in such area with an output greater than 0 MW that PJM determines to be the marginal units in that area for that 5-minute interval. PJM shall determine the set of marginal units in the external area by summing the output of the units serving load in that area in ascending order of the units' marginal costs until such sum equals the real time load in such external area. Units in the external area with marginal costs at or above that of the last unit included in the sum shall be the marginal units for that area for that interval.

PJM similarly shall calculate the energy price for exports from PJM to such area or sub-area as the highest LMP of any generator bus in such area or sub-area with an output greater than 0 MW that has an LMP greater than its marginal cost for such 5-minute interval. If no generator with an output greater than 0 MW has an LMP greater than its marginal cost, then the export price shall be the average of the bus LMPs for the set of generators with an output greater than 0 MW that PJM determines to be the marginal units in such area for that 5-minute interval, as described above.

The hourly integrated import and export prices will be the average of all 5-minute interval prices during such hour.

Locational interface prices in the Day-ahead Market shall be calculated in the same manner as set forth above for the Real-time Market, utilizing information regarding whether each unit in such area is scheduled to run for each hour of the following day, provided as specified in subsection (B) below.

(B) Such pricing point and pricing methodology shall be provided only to the extent the external balancing authority area or sub-area provides or causes to be provided to PJM (i) unit-specific, real time telemetered output data for each unit in the PJM network model in such area or sub-area; (ii) unit-specific marginal cost data for each unit in the PJM network model in such area or sub-area, prepared in accordance with the PJM Manuals and subject to the same review of the PJM Independent Market Monitor as any such cost data for internal PJM units; and (iii) a day-ahead indication for each unit in such area or sub-area as to whether that unit is scheduled to run for each hour of the following day. During any hour in which any entity makes any purchases from other external

areas outside of such area or sub-area (other than delivery of external designated Network Resources or such other exceptions specifically documented for such area or sub-area in the PJM Manuals) at the same time that energy sales into PJM are being made, or purchases energy from PJM for delivery into such area or sub-area while sales from such area to other external areas are simultaneously implemented (subject to any exceptions specifically documented for such area or sub-area in the PJM Manuals), pricing will revert to the applicable import or export pricing point that would otherwise be assigned to such external area or sub-area.

- (C) PJM shall post the individual generator bus LMPs in the directly connected external control areas for informational purposes; provided, however, that no settlement shall take place at such external bus LMPs, and such nodes shall not be available for the submission of Virtual Transactions in the PJM Dayahead Energy Market.
- (3) All data provided to PJM by balancing and/or reliability authorities hereunder will be used only for the purpose of implementing the interface pricing set forth herein, will be treated confidentially by PJM, and will be afforded the same treatment provided to Member confidential data under the PJM Operating Agreement.
- (4) PJM reserves the right to audit the data supplied to PJM hereunder by giving written notice to the relevant balancing/reliability authority/market operator no more than three months following provision of such data, and at least ten (10) business days in advance of the date that PJM wishes to initiate such audit, with completion of the audit occurring within sixty (60) days of such notice. Each party shall be responsible for its own expenses related to any such audit.

3.2 Market Buyers.

3.2.1 Spot Market Energy Charges.

- (a) The Office of the Interconnection shall calculate System Energy Prices in the form of Day-ahead System Energy Prices and Real-time System Energy Prices for the PJM Region, in accordance with Section 2 of this Schedule.
- (b) Market Buyers shall be charged for all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.
- (c) Generating Market Buyers shall be paid for all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead System Energy Price.
- At the end of each hour during an Operating Day, the Office of the (d) Interconnection shall calculate the total amount of net hourly PJM Interchange for each Market Buyer, including Generating Market Buyers, in accordance with the PJM Manuals. For Internal Market Buyers that are Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall include determination of the net energy flows from: (i) Ttie Ltines; (ii) any generation resource the output of which is controlled by the Market Buyer but delivered to it over another entity's Transmission Facilities; (iii) any generation resource the output of which is controlled by another entity but which is directly interconnected with the Market Buyer's transmission system; (iv) deliveries pursuant to bilateral energy sales; (v) receipts pursuant to bilateral energy purchases; and (vi) an adjustment to account for the day-ahead PJM Interchange, calculated as the difference between scheduled withdrawals and injections by that Market Buyer in the Day-ahead Energy Market. For External Market Buyers and Internal Market Buyers that are not Load Serving Entities or purchasing on behalf of Load Serving Entities, this calculation shall determine the energy scheduled hourly for delivery to the Market Buyer net of the amounts scheduled by such Market Buyer in the Day-ahead Energy Market.
- (e) An Internal Market Buyer shall be charged for Spot Market Energy purchases to the extent of its hourly net purchases from the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. An External Market Buyer shall be charged for its Spot Market Energy purchases based on the energy delivered to it, determined as specified in Section 3.2.1(d) above. The total charge shall be determined by the product of the hourly net amount of PJM Interchange Imports times the hourly Real-time System Energy Price for that Market Buyer.
- (f) A Generating Market Buyer shall be paid as a Market Seller for sales of Spot Market Energy to the extent of its hourly net sales into the PJM Interchange Energy Market, determined as specified in Section 3.2.1(d) above. The total payment shall be determined by the product of the hourly net amount of PJM Interchange Exports times the hourly Real-time System Energy Price for that Market Seller.

3.2.2 Regulation.

- (a) Each Internal Market Buyer that is a Load Serving Entity in a Regulation Zone shall have an hourly Regulation objective equal to its pro rata share of the Regulation requirements of such Regulation Zone for the hour, based on the Internal Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Regulation Zone for the hour ("Regulation Obligation"). An Internal Market Buyer that does not meet its hourly Regulation obligation shall be charged the following for Regulation dispatched by the Office of the Interconnection to meet such obligation: (i) the capability Regulation market-clearing price determined in accordance with subsection (h) of this section; (ii) the amounts, if any, described in subsection (f) of this section; and (iii) the performance Regulation market-clearing price determined in accordance with subsection (g) of this section.
- (b) Each Market Seller and Generating Market Buyer shall be credited for each of its resources supplying Regulation in a Regulation Zone at the direction of the Office of the Interconnection such that the calculated credit for each increment of Regulation provided by each resource shall be the higher of: (i) the Regulation market-clearing price; or (ii) the sum of the applicable Regulation offers for a resource determined pursuant to Section 3.2.2A.1 of this Schedule, the unit-specific shoulder hour opportunity costs described in subsection (e) of this section, the unit-specific inter-temporal opportunity costs, and the unit-specific opportunity costs discussed in subsection (d) of this section.
- The total Regulation market-clearing price in each Regulation Zone shall be determined at a time to be determined by the Office of the Interconnection which shall be no earlier than the day before the Operating Day. In accordance with the PJM Manuals, the total Regulation market-clearing price shall be calculated by optimizing the dispatch profile to obtain the lowest cost combination set of resources that satisfies the Regulation requirement. The market-clearing price for each regulating hour shall be equal to the average of all 5-minute clearing prices calculated during that hour. The total Regulation market-clearing price shall include: (i) the performance Regulation market-clearing price in a Regulation Zone that shall be calculated in accordance with subsection (g) of this section; (ii) the capability Regulation market-clearing price that shall be calculated in accordance with subsection (h) of this section; and (iii) a Regulation resource's unit-specific opportunity costs during the 5-minute period, determined as described in subsection (d) below, divided by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score of the resource from among the resources selected to provide Regulation. A resource's Regulation offer by any Market Seller that fails the three-pivotal supplier test set forth in section 3.2.2A.1 of this Schedule shall not exceed the cost of providing Regulation from such resource, plus twelve dollars, as determined pursuant to the formula in section 1.10.1A(e) of this Schedule.
- (d) In determining the Regulation 5-minute clearing price for each Regulation Zone, the estimated unit-specific opportunity costs of a generation resource offering to sell Regulation in each regulating hour, except for hydroelectric resources, shall be equal to the product of (i) the deviation of the set point of the generation resource that is expected to be required in order to provide Regulation from the generation resource's expected output level if it had been dispatched in economic merit order times, (ii) the absolute value of the difference between the

expected Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource) in the PJM Interchange Energy Market.

For hydroelectric resources offering to sell Regulation in a regulating hour, the estimated unitspecific opportunity costs for each hydroelectric resource in spill conditions as defined in the PJM Manuals will be the full value of the Locational Marginal Price at that generation bus for each megawatt of Regulation capability.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and has a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the expected Locational Marginal Price at the generation bus for the hydroelectric resource and the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating. Estimated opportunity costs shall be zero for hydroelectric resources for which the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating is higher than the actual Locational Marginal Price at the generator bus for the regulating hour.

The estimated unit-specific opportunity costs for each hydroelectric resource that is not in spill conditions as defined in the PJM Manuals and does not have a day-ahead megawatt commitment greater than zero shall be equal to the product of (i) the deviation of the set point of the hydroelectric resource that is expected to be required in order to provide Regulation from the hydroelectric resource's expected output level if it had been dispatched in economic merit order times (ii) the difference between the average of the Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period as defined in the PJM Manuals, excluding those hours during which all available units at the hydroelectric resource were operating and the expected Locational Marginal Price at the generation bus for the hydroelectric resource. Estimated opportunity costs shall be zero for hydroelectric resources for which the actual Locational Marginal Price at the generator bus for the regulating hour is higher than the average Locational Marginal Price at the generation bus for the appropriate on-peak or off-peak period, excluding those hours during which all available units at the hydroelectric resource were operating.

For the purpose of committing resources and setting Regulation market clearing prices, the Office of the Interconnection shall utilize day-ahead Locational Marginal Prices to calculate opportunity costs for hydroelectric resources. For the purposes of settlements, the Office of the Interconnection shall utilize the real-time Locational Marginal Prices to calculate opportunity costs for hydroelectric resources.

Estimated opportunity costs for Demand Resources to provide Regulation are zero.

In determining the credit under subsection (b) to a Market Seller or Generating Market Buyer selected to provide Regulation in a Regulation Zone and that actively follows the Office of the Interconnection's Regulation signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Regulation, and for the percentage of the preceding shoulder hour and the following shoulder hour during which the Generating Market Buyer or Market Seller provided Regulation. The unit-specific opportunity cost incurred during the hour in which the Regulation obligation is fulfilled shall be equal to the product of (i) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's Regulation signals from the generation resource's expected output level if it had been dispatched in economic merit order times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the actual megawatt level of the resource when the actual megawatt level is within the tolerance defined in the PJM Manuals for the Regulation set point, or at the Regulation set point for the resource when it is not within the corresponding tolerance) in the PJM Interchange Energy Market. Opportunity costs for Demand Resources to provide Regulation are zero.

The unit-specific opportunity costs associated with uneconomic operation during the preceding shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the initial regulating hour in order to provide Regulation and the resource's expected output in the preceding shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the preceding shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in the initial regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the preceding shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

The unit-specific opportunity costs associated with uneconomic operation during the following shoulder hour shall be equal to the product of (i) the deviation between the set point of the generation resource that is expected to be required in the final regulating hour in order to provide Regulation and the resource's expected output in the following shoulder hour times (ii) the absolute value of the difference between the Locational Marginal Price at the generation bus for the generation resource in the following shoulder hour and the lesser of the available market-based or highest available cost-based energy offer from the generation resource (at the megawatt level of the Regulation set point for the resource in final regulating hour) in the PJM Interchange Energy Market, times (iii) the percentage of the following shoulder hour during which the deviation was incurred, all as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.

(f) Any amounts credited for Regulation in an hour in excess of the Regulation market-clearing price in that hour shall be allocated and charged to each Internal Market Buyer

in a Regulation Zone that does not meet its hourly Regulation obligation in proportion to its purchases of Regulation in such Regulation Zone in megawatt-hours during that hour.

(g) To determine the performance Regulation market-clearing price for each Regulation Zone, the Office of the Interconnection shall adjust the submitted performance offer for each resource in accordance with the historical performance of that resource, the amount of Regulation that resource will be dispatched based on the ratio of control signals calculated by the Office of the Interconnection, and the unit-specific benefits factor described in subsection (j) of this section for which that resource is qualified. The maximum adjusted performance offer of all cleared resources will set the performance Regulation market-clearing price.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions, will be credited for Regulation performance by multiplying the assigned MW(s) by the performance Regulation market-clearing price, by the ratio between the requested mileage for the Regulation dispatch signal assigned to the Regulation resource and the Regulation dispatch signal assigned to traditional resources, and by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

(h) The Office of the Interconnection shall divide each Regulation resource's capability offer by the unit-specific benefits factor described in subsection (j) of this section and divided by the historic accuracy score for the resource for the purposes of committing resources and setting the market clearing prices.

The Office of the Interconnection shall calculate the capability Regulation market-clearing price for each Regulation Zone by subtracting the performance Regulation market-clearing price described in subsection (g) from the total Regulation market clearing price described in subsection (c). This residual sets the capability Regulation market clearing price for that market hour.

The owner of each Regulation resource that actively follows the Office of the Interconnection's Regulation signals and instructions will be credited for Regulation capability based on the assigned MW and the capability Regulation market-clearing price multiplied by the Regulation resource's accuracy score calculated in accordance with subsection (k) of this section.

- (i) In accordance with the processes described in the PJM Manuals, the Office of the Interconnection shall: (i) calculate inter-temporal opportunity costs for each applicable resource; (ii) include such inter-temporal opportunity costs in each applicable resource's offer to sell frequency Regulation service; and (iii) account for such inter-temporal opportunity costs in the Regulation market-clearing price.
- (j) The Office of the Interconnection shall calculate a unit-specific benefits factor for each of the dynamic Regulation signal and traditional Regulation signal in accordance with the PJM Manuals. Each resource shall be assigned a unit-specific benefits factor based on their order in the merit order stack for the applicable Regulation signal. The unit-specific benefits factor is the point on the benefits factor curve that aligns with the last megawatt, adjusted by

historical performance, that resource will add to the dynamic resource stack. The unit-specific benefits factor for the traditional Regulation signal shall be equal to one.

(k) The Office of the Interconnection shall calculate each Regulation resource's accuracy score. The accuracy score shall be the average of a delay score, correlation score, and energy score for each ten second interval. For purposes of setting the interval to be used for the correlation score and delay scores, PJM will use the maximum of the correlation score plus the delay score for each interval.

The Office of the Interconnection shall calculate the correlation score using the following statistical correlation function (r) that measures the delay in response between the Regulation signal and the resource change in output:

```
\label{eq:correlation} \begin{aligned} & Correlation \ Score = r_{Signal,Response(\delta,\delta+5\ Min);} \\ & \delta \text{=-0 to 5 Min} \end{aligned} where \delta is delay.
```

The Office of the Interconnection shall calculate the delay score using the following equation:

```
Delay Score = Abs ((\delta- 5 Minutes) / (5 Minutes)).
```

The Office of the Interconnection shall calculate a energy score as a function of the difference in the energy provided versus the energy requested by the Regulation signal while scaling for the number of samples. The energy score is the absolute error (ε) as a function of the resource's Regulation capacity using the following equations:

```
Energy Score = 1 - 1/n \sum Abs (Error);
```

Error = Average of Abs ((Response - Regulation Signal) / (Hourly Average Regulation Signal)); and

n = the number of samples in the hour and the energy.

The Office of the Interconnection shall calculate an accuracy score for each Regulation resource that is the average of the delay score, correlation score, and energy score for a five-minute period using the following equation where the energy score, the delay score, and the correlation score are each weighted equally:

```
Accuracy Score = max ((Delay Score) + (Correlation Score)) + (Energy Score).
```

The historic accuracy score will be based on a rolling average of the hourly accuracy scores, with consideration of the qualification score, as defined in the PJM Manuals.

3.2.2A Offer Price Caps.

3.2.2A.1 Applicability.

- (a) Each hour, the Office of the Interconnection shall conduct a three-pivotal supplier test as described in this section. Regulation offers from Market Sellers that fail the three-pivotal supplier test shall be capped in the hour in which they failed the test at their cost based offers as determined pursuant to section 1.10.1A(e) of this Schedule. A Regulation supplier fails the three-pivotal supplier test in any hour in which such Regulation supplier and the two largest other Regulation suppliers are jointly pivotal.
- (b) For the purposes of conducting the three-pivotal supplier test pursuant to this section, the following applies:
 - (i) The three-pivotal supplier test will include in the definition of available supply all offers from resources capable of satisfying the Regulation requirement of the PJM Region multiplied by the historic accuracy score of the resource and multiplied by the unit-specific benefits factor for which the capability cost-based offer plus the performance cost-based offer plus any eligible opportunity costs is no greater than 150 percent of the clearing price that would be calculated if all offers were limited to cost (plus eligible opportunity costs).
 - (ii) The three-pivotal supplier test will apply on a Regulation supplier basis (i.e. not a resource by resource basis) and only the Regulation suppliers that fail the three-pivotal supplier test will have their Regulation offers capped. A Regulation supplier for the purposes of this section includes corporate affiliates. Regulation from resources controlled by a Regulation supplier or its affiliates, whether by contract with unaffiliated third parties or otherwise, will be included as Regulation of that Regulation supplier. Regulation provided by resources owned by a Regulation supplier but controlled by an unaffiliated third party, whether by contract or otherwise, will be included as Regulation of that third party.
 - (iii) Each supplier shall be ranked from the largest to the smallest offered megawatt of eligible Regulation supply adjusted by the historic performance of each resource and the unit-specific benefits factor. Suppliers are then tested in order, starting with the three largest suppliers. For each iteration of the test, the two largest suppliers are combined with a third supplier, and the combined supply is subtracted from total effective supply. The resulting net amount of eligible supply is divided by the Regulation requirement for the hour to determine the residual supply index. Where the residual supply index for three pivotal suppliers is less than or equal to 1.0, then the three suppliers are jointly pivotal and the suppliers being tested fail the three pivotal supplier test. Iterations of the test continue until the combination of the two largest suppliers and a third supplier result in a residual supply index greater than 1.0, at which point the remaining suppliers pass the test. Any resource owner that fails the three-pivotal supplier test will be offer-capped.

3.2.3 Operating Reserves.

- (a) A Market Seller's pool-scheduled resources capable of providing Operating Reserves shall be credited as specified below based on the prices offered for the operation of such resource, provided that the resource was available for the entire time specified in the Offer Data for such resource. To the extent that Section 3.2.3A.01 of Schedule 1 of this Agreement does not meet the Day-ahead Scheduling Reserves Requirement, the Office of the Interconnection shall schedule additional Operating Reserves pursuant to Section 1.7.17 and 1.10 of Schedule 1 of this Agreement. In addition the Office of the Interconnection shall schedule Operating Reserves pursuant to those sections to satisfy any unforeseen Operating Reserve requirements that are not reflected in the Day-ahead Scheduling Reserves Requirement.
- (b) The following determination shall be made for each pool-scheduled resource that is scheduled in the Day-ahead Energy Market: the total offered price for start-up and no-load fees and energy, determined on the basis of the resource's scheduled output, shall be compared to the total value of that resource's energy as determined by the Day-ahead Energy Market and the Day-ahead Prices applicable to the relevant generation bus in the Day-ahead Energy Market. PJM shall also (i) determine whether any resources were scheduled in the Day-ahead Energy Market to provide Black Start service, Reactive Services or transfer interface control during the Operating Day because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day in order to minimize the total cost of Operating Reserves associated with the provision of such services and reflect the most accurate possible expectation of real-time operating conditions in the day-ahead model, which resources would not have otherwise been committed in the day-ahead security-constrained dispatch and (ii) report on the day following the Operating Day the megawatt quantities scheduled in the Day-ahead Energy Market for the above-enumerated purposes for the entire RTO.

Except as provided in Section 3.2.3(n), if the total offered price summed over all hours exceeds the total value summed over all hours, the difference shall be credited to the Market Seller. The Office of the Interconnection shall apply any balancing Operating Reserve credits allocated pursuant to this Section 3.2.3(b) to real-time deviations from day-ahead schedules or real-time load share plus exports, pursuant to Section 3.2.3(p), depending on whether the balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.

- (i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve credits shall be allocated based on the reason the resource was scheduled according to the following provisions:
 - (A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve credits, identified as RA

Credits for Deviations, shall be allocated to real-time deviations from day-ahead schedules.

- (B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve credits, identified as RA Credits for Reliability, shall be allocated according to ratio share of real time load plus export transactions.
- (C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve credits shall be segmented and separately allocated pursuant to subsections 3.2.3(b)(i)(A) or 3.2.3(b)(i)(B) hereof. Balancing Operating Reserve credits for such resources will be identified in the same manner as units committed during the reliability analysis pursuant to subsections 3.2.3(b)(i)(A) and 3.2.3(b)(i)(B) hereof.
- (ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve credits shall be allocated according to the following provisions:
 - (A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve credits, identified as RT Credits for Reliability, shall be allocated according to ratio share of load plus exports. The foregoing notwithstanding, credits will be applied pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four 5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the credits for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category (RT Credits for Reliability or RT Credits for Deviations) as identified for the Operating Reserves for the other discrete clock hours.
 - (B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(b)(ii)(A) hereof to operate in real-time during an Operating Day, the associated balancing Operating Reserve credits, identified as RT Credits for Deviations, shall be allocated according to real-time deviations from day-ahead schedules.
- (iii) PJM shall post on its Web site the aggregate amount of MWs committed that meet the criteria referenced in subsections (b)(i) and (b)(ii) hereof.

- (c) The sum of the foregoing credits calculated in accordance with Section 3.2.3(b) plus any unallocated charges from Section 3.2.3(h) and 5.1.7, and any shortfalls paid pursuant to the Market Settlement provision of the Day-ahead Economic Load Response Program, shall be the cost of Operating Reserves in the Day-ahead Energy Market.
- The cost of Operating Reserves in the Day-ahead Energy Market shall be allocated and charged to each Market Participant in proportion to the sum of its (i) scheduled load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) and accepted Decrement Bids in the Day-ahead Energy Market in megawatt-hours for that Operating Day; and (ii) scheduled energy sales in the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours for that Operating Day, but not including its bilateral transactions that are *Dynamic Transfers* to load outside such area pursuant to Section 1.12, except to the extent PJM scheduled resources to provide Black Start service, Reactive Services or transfer interface control. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Black Start service for the Operating Day which resources would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated by ratio share of the monthly transmission use of each Network Customer or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff. The cost of Operating Reserves in the Day-ahead Energy Market for resources scheduled to provide Reactive Services or transfer interface control because they are known or expected to be needed to maintain system reliability in a Zone during the Operating Day and would not have otherwise been committed in the day-ahead security constrained dispatch shall be allocated and charged to each Market Participant in proportion to the sum of its real-time deliveries of energy to load (net of operating Behind The Meter Generation) in such Zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such Zone.
- (e) At the end of each Operating Day, the following determination shall be made for each synchronized pool-scheduled resource of each Market Seller that operates as requested by the Office of the Interconnection. For each calendar day, pool-scheduled resources in the Realtime Energy Market shall be made whole for each of the following segments: 1) the greater of their day-ahead schedules or minimum run time (minimum down time for Demand Resources); and 2) any block of hours the resource operates at PJM's direction in excess of the greater of its day-ahead schedule or minimum run time (minimum down time for Demand Resources). For each calendar day, and for each synchronized start of a generation resource or PJM-dispatched economic load reduction, there will be a maximum of two segments for each resource. Segment 1 will be the greater of the day-ahead schedule and minimum run time (minimum down time for Demand Resources) and Segment 2 will include the remainder of the contiguous hours when the resource is operating at the direction of the Office of the Interconnection, provided that a segment is limited to the Operating Day in which it commenced and cannot include any part of the following Operating Day.

A Generation Capacity Resource that operates outside of its unit-specific parameters will not receive Operating Reserve Credits nor be made whole for such operation when not dispatched by the Office of the Interconnection, unless the Market Seller of the Generation Capacity Resource

can justify to the Office of the Interconnection that operation outside of such unit-specific parameters was the result of an actual constraint. Such Market Seller shall provide to the Market Monitoring Unit and the Office of the Interconnection its request to receive Operating Reserve Credits and/or to be made whole for such operation, along with documentation explaining in detail the reasons for operating its resource outside of its unit-specific parameters, within thirty calendar days following the issuance of billing statement for the Operating Day. The Market Seller shall also respond to additional requests for information from the Market Monitoring Unit and the Office of the Interconnection. The Market Monitoring Unit shall evaluate such request for compensation and provide its determination of whether there was an exercise of market power to the Office of the Interconnection by no later than twenty-five calendar days after receiving the Market Seller's request for compensation. The Office of the Interconnection shall make its determination whether the Market Seller justified that it is entitled to receive Operating Reserve Credits and/or be made whole for such operation of its resource for the day(s) in question, by no later than thirty calendar days after receiving the Market Seller's request for compensation.

Credits received pursuant to this section shall be equal to the positive difference between a resource's total offered price for start-up (shutdown costs for Demand Resources) and no-load fees and energy, determined on the basis of the resource's scheduled output, and the total value of the resource's energy in the Day-ahead Energy Market plus any credit or change for quantity deviations, at PJM dispatch direction, from the Day-ahead Energy Market during the Operating Day at the real-time LMP(s) applicable to the relevant generation bus in the Real-time Energy Market. The foregoing notwithstanding, credits for segment 2 shall exclude start up (shutdown costs for Demand Resources) costs for generation resources.

Except as provided in Section 3.2.3(m), if the total offered price exceeds the total value, the difference less any credit as determined pursuant to Section 3.2.3(b), and less any amounts credited for Synchronized Reserve in excess of the Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for Non-Synchronized Reserve in excess of the Non-Synchronized Reserve offer plus the resource's opportunity cost, and less any amounts credited for providing Reactive Services as specified in Section 3.2.3B, and less any amounts for Day-ahead Scheduling Reserve in excess of the Day-ahead Scheduling Reserve offer plus the resource's opportunity cost, shall be credited to the Market Seller.

Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits applied against Operating Reserve credits pursuant to this section shall be netted against the Operating Reserve credits earned in the corresponding hour(s) in which the Synchronized Reserve, Non-Synchronized Reserve, and Day-ahead Scheduling Reserve credits accrued, provided that for condensing combustion turbines, Synchronized Reserve credits will be netted against the total Operating Reserve credits accrued during each hour the unit operates in condensing and generation mode.

(f) A Market Seller's steam-electric generating unit or combined cycle unit operating in combined cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for

which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) - C.

The deviation of the generating unit's output is equal to the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments and limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (f-1) A Market Seller's combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:
 - (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as directed by the PJM dispatcher), then the Market Seller shall be credited in a manner consistent with that described above for a steam unit or combined cycle unit operating in combined cycle mode.
 - (ii) for each hour a unit is scheduled to produce energy in the Day-ahead Energy Market, but the unit is not called on by the Office of the Interconnection and does not operate in real time, then the Market Seller shall be credited in an amount equal to the higher of:
 - 1) the product of (A) the amount of megawatts committed in the Day-ahead Energy Market for the generating unit, and (B) the Real-time Price at the generation bus for the generating unit,

minus the sum of (C) the applicable offer for energy on which the generating unit was committed in the Day-ahead Energy Market, inclusive of no-load costs, plus (D) the start-up cost, divided by the hours committed for each set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market. This equation is represented as (A*B) - (C+D). The startup cost, (D), shall be excluded from this calculation if the unit operates in real time following the Office of the Interconnection's direction during any portion of the set of contiguous hours for which the unit was scheduled in Day-ahead Energy Market, or

- 2) the Real-time Price at the unit's bus minus the Day-ahead Price at the unit's bus, multiplied by the number of megawatts committed in the Day-ahead Energy Market for the generating unit.
- (f-2) A Market Seller's hydroelectric resource that is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), the output of which is altered at the request of the Office of the Interconnection from the schedule submitted by the owner, due to a transmission constraint or other reliability issue, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.
- (f-3) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for opportunity cost associated with following PJM dispatch instructions and reducing or suspending a unit's output due to a transmission constraint or other reliability issue, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.
- (f-4) A Market Seller's wind generating unit that is pool-scheduled or self-scheduled, has SCADA capability to transmit and receive instructions from the Office of the Interconnection, has provided data and established processes to follow PJM basepoints pursuant to the requirements for wind generating units as further detailed in this Agreement, the Tariff and the PJM Manuals, and which is operating as requested by the Office of the Interconnection, the output of which is reduced or suspended at the request of the Office of the Interconnection due to a transmission constraint or other reliability issue, and for which the hourly integrated, real-time LMP at the unit's bus is higher than the unit's offer corresponding to the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output

from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall be credited hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generation bus for the generating unit, minus (C) the applicable offer for energy on which the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) - C.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit. For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (g) The sum of the foregoing credits, plus any cancellation fees paid in accordance with Section 1.10.2(d), such cancellation fees to be applied to the Operating Day for which the unit was scheduled, plus any shortfalls paid pursuant to the Market Settlement provision of the real-time Economic Load Response Program, less any payments received from another Control Area for Operating Reserves, plus any redispatch costs incurred in accordance with section 10(a) of this Schedule, shall be the cost of Operating Reserves for the Real-time Energy Market in each Operating Day.
- (h) The cost of Operating Reserves for the Real-time Energy Market for each Operating Day, except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, shall be allocated and charged to each Market Participant in proportion to the sum of the absolute values of its (1) load deviations (net of operating Behind The Meter Generation) from the Day-ahead Energy Market in megawatt-hours during that Operating Day, except as noted in subsection (h)(ii) below and in the PJM Manuals; (2) generation deviations (not including deviations in Behind The Meter Generation) from the Day-ahead Energy Market for non-dispatchable generation resources, including External Resources, in megawatt-hours during the Operating Day; (3) deviations from the Day-ahead Energy Market for bilateral transactions from outside the PJM Region for delivery within such region in megawatt-hours during the Operating Day; and (4) deviations of energy sales from the Day-ahead Energy Market from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are *Dynamic Transfers* to load outside such region pursuant to Section 1.12.

The costs associated with scheduling of units for Black Start service or testing of Black Start Units shall be allocated by ratio share of the monthly transmission use of each Network Customer

or Transmission Customer serving Zone Load or Non-Zone Load, as determined in accordance with the formulas contained in Schedule 6A of the PJM Tariff.

Notwithstanding section (h)(1) above, as more fully set forth in the PJM Manuals, load deviations from the Day-ahead Energy Market shall not be assessed Operating Reserves charges to the extent attributable to reductions in the load of Price Responsive Demand that is in response to an increase in Locational Marginal Price from the Day-ahead Energy Market to the Real-time Energy Market and that is in accordance with a properly submitted PRD Curve.

Deviations that occur within a single Zone shall be associated with the Eastern or Western Region, as defined in Section 3.2.3(q) of this Schedule, and shall be subject to the regional balancing Operating Reserve rate determined in accordance with Section 3.2.3(q). Deviations at a hub shall be associated with the Eastern or Western Region if all the buses that define the hub are located in the region. Deviations at an Interface Pricing Point shall be associated with whichever region, the Eastern or Western Region, with which the majority of the buses that define that Interface Pricing Point are most closely electrically associated. If deviations at interfaces and hubs are associated with the Eastern or Western region, they shall be subject to the regional balancing Operating Reserve rate. Demand and supply deviations shall be based on total activity in a Zone, including all aggregates and hubs defined by buses that are wholly contained within the same Zone.

The foregoing notwithstanding, netting deviations shall be allowed in accordance with the following provisions:

- (i) Generation resources with multiple units located at a single bus shall be able to offset deviations in accordance with the PJM Manuals to determine the net deviation MW at the relevant bus.
- (ii) Demand deviations will be assessed by comparing all day-ahead demand transactions at a single transmission zone, hub, or interface against the real-time demand transactions at that same transmission zone, hub, or interface; except that the positive values of demand deviations, as set forth in the PJM Manuals, will not be assessed Operating Reserve charges in the event of a Primary Reserve or Synchronized Reserve shortage in real-time or where PJM initiates the request for emergency load reductions in real-time in order to avoid a Primary Reserve or Synchronized Reserve shortage.
- (iii) Supply deviations will be assessed by comparing all day-ahead transactions at a single transmission zone, hub, or interface against the real-time transactions at that same transmission zone, hub, or interface.
- (i) At the end of each Operating Day, Market Sellers shall be credited on the basis of their offered prices for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, as well as the credits calculated as specified in Section 3.2.3(b) for those generators committed solely for the purpose of providing synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, at the request of the Office of the Interconnection.

- (j) The sum of the foregoing credits as specified in Section 3.2.3(i) shall be the cost of Operating Reserves for synchronous condensing for the PJM Region for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for the Operating Day and shall be separately determined for the PJM Region.
- (k) The cost of Operating Reserves for synchronous condensing for purposes other than providing Synchronized Reserve or Reactive Services, or in association with post-contingency operation for each Operating Day shall be allocated and charged to each Market Participant in proportion to the sum of its (i) deliveries of energy to load (net of operating Behind The Meter Generation, but not to be less than zero) in the PJM Region, served under Network Transmission Service, in megawatt-hours during that Operating Day; and (ii) deliveries of energy sales from within the PJM Region to load outside such region in megawatt-hours during that Operating Day, but not including its bilateral transactions that are *Dynamic Transfers* to load outside the PJM Region pursuant to Section 1.12, as compared to the sum of all such deliveries for all Market Participants.
- (1) For any Operating Day in either, as applicable, the Day-ahead Energy Market or the Real-time Energy Market for which, for all or any part of such Operating Day, the Office of the Interconnection: (i) declares a Maximum Generation Emergency; (ii) issues a Maximum Generation Emergency Alert; or (iii) schedules units based on the anticipation of a Maximum Generation Emergency or a Maximum Generation Emergency Alert, the Operating Reserves credit otherwise provided by Section 3.2.3.(b) or Section 3.2.3(e) in connection with marketbased offers shall be limited as provided in subsections (n) or (m), respectively. The Office of the Interconnection shall provide timely notice on its internet site of the commencement and termination of any of the actions described in subsection (i), (ii), or (iii) of this subsection (l) (collectively referred to as "MaxGen Conditions"). Following the posting of notice of the commencement of a MaxGen Condition, a Market Seller may elect to submit a cost-based offer in accordance with Schedule 2 of the Operating Agreement, in which case subsections (m) and (n) shall not apply to such offer; provided, however, that such offer must be submitted in accordance with the deadlines in Section 1.10 for the submission of offers in the Day-ahead Energy Market or Real-time Energy Market, as applicable. Submission of a cost-based offer under such conditions shall not be precluded by Section 1.9.7(b); provided, however, that the Market Seller must return to compliance with Section 1.9.7(b) when it submits its bid for the first Operating Day after termination of the MaxGen Condition.
- (m) For the Real-time Energy Market, if the Effective Offer Price (as defined below) for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. For purposes of this subsection (m), the Effective Offer Price shall be the amount that, absent subsections (l) and (m), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(e) plus the Real-time Energy Market revenues for the hours that the offer is economic divided by the megawatt hours of energy provided during the hours that the offer is economic. The hours that the offer is economic shall be: (i) the hours that the offer price for energy is less than or equal to the Real-time Price for the relevant generation bus, (ii) the hours in which the offer for energy is greater than Locational Marginal Price and the unit is operated at the direction of the Office of the Interconnection that are in addition to any

hours required due to the minimum run time or other operating constraint of the unit, and (iii) for any unit with a minimum run time of one hour or less and with more than one start available per day, any hours the unit operated at the direction of the Office of the Interconnection.

- For the Day-ahead Energy Market, if notice of a MaxGen Condition is provided prior to 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price for a market-based offer is greater than \$1,000/MWh and greater than the Market Seller's lowest available and applicable cost-based offer, the Market Seller shall not receive any credit for Operating Reserves. If notice of a MaxGen Condition is provided after 10:30 a.m. on the day before the Operating Day for which transactions are being scheduled and the Effective Offer Price is greater than \$1,000/MWh, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. If the Effective Offer Price is less than or equal to \$1,000/MWh, regardless of when notice of a MaxGen Condition is provided, the Market Seller shall receive credit for Operating Reserves determined in accordance with Section 3.2.3(b), subject to the limit on total compensation stated below. For purposes of this subsection (n), the Effective Offer Price shall be the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day divided by the megawatt hours of energy offered during the Specified Hours, plus the offer for energy during such hours. The Specified Hours shall be the lesser of: (1) the minimum run hours stated by the Market Seller in its Offer Data; and (2) either (i) for steam-electric generating units and for combined-cycle units when such units are operating in combined-cycle mode, the six consecutive hours of highest Day-ahead Price during such Operating Day when such units are running or (ii) for combustion turbine units and for combined-cycle units when such units are operating in combustion turbine mode, the two consecutive hours of highest Day-ahead Price during such Operating Day when such units are running. Notwithstanding any other provision in this subsection, the total compensation to a Market Seller on any Operating Day that includes a MaxGen Condition shall not exceed \$1,000/MWh during the Specified Hours, where such total compensation in each such hour is defined as the amount that, absent subsections (l) and (n), would have been credited for Operating Reserves for such Operating Day pursuant to Section 3.2.3(b) divided by the Specified Hours, plus the Day-ahead Price for such hour, and no Operating Reserves payments shall be made for any other hour of such Operating Day. If a unit operates in real time at the direction of the Office of the Interconnection consistently with its day-ahead clearing, then subsection (m) does not apply.
- (o) Dispatchable pool-scheduled generation resources and dispatchable self-scheduled generation resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Pool-scheduled generation resources and dispatchable self-scheduled generation resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations in accordance with the calculations described in the PJM Manuals. Ramp-limited desired MW values shall be used to determine generation resource real-time deviations from the resource's day-ahead schedules.

The Office of the Interconnection shall calculate a ramp-limited desired MW value for generation resources where the economic minimum and economic maximum are at least as far apart in real-time as they are in day-ahead according to the following parameters:

- (i) real-time economic minimum <= 105% of day-ahead economic minimum or day-ahead economic minimum plus 5 MW, whichever is greater.
- (ii) real-time economic maximum >= 95% day-ahead economic maximum or day-ahead economic maximum minus 5 MW, whichever is lower.

The ramp-limited desired MW value for a generation resource shall be equal to:

$$\begin{aligned} & \text{Ramp_Request}_t = \underbrace{ & (\text{UDStarget}_{t-1} - \text{AOutput}_{t-1}) / \\ & (\text{UDSLAtime}_{t-1}) \\ & \text{RL_Desired}_t = \text{AOutput}_{t-1} + \underbrace{ \left(\text{Ramp_Request}_t * \text{Case_Eff_time}_{t-1} \right) } \end{aligned}$$

where:

- 1. UDStarget = UDS basepoint for the previous UDS case
- 2. AOutput = Unit's output at case solution time
- 3. UDSLAtime = UDS look ahead time
- 4. Case_Eff_time = Time between base point changes
- 5. RL_Desired = Ramp-limited desired MW

To determine if a generation resource is following dispatch the Office of the Interconnection shall determine the unit's MW off dispatch and % off dispatch by using the lesser of the difference between the actual output and the UDS Basepoint or the actual output and ramplimited desired MW value. The % off dispatch and MW off dispatch will be a time-weighted average over the course of an hour. If the UDS Basepoint and the ramp-limited desired MW for the resource are unavailable, the Office of the Interconnection will determine the unit's MW off dispatch and % off dispatch by calculating the lesser of the difference between the actual output and the UDS LMP Desired MW.

A pool-scheduled or dispatchable self-scheduled resource is considered to be following dispatch if its actual output is between its ramp-limited desired MW value and UDS Basepoint, or if its % off dispatch is <= 10, or its hourly integrated Real-time MWh is within 5% or 5 MW (whichever is greater) of the hourly integrated ramp-limited desired MW. A self-scheduled generator must also be dispatched above economic minimum. The degree of deviations for resources that are not following dispatch shall be determined in accordance with the following provisions:

- A dispatchable self-scheduled resource that is not dispatched above economic minimum shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh Day-Ahead MWh.
- A resource that is dispatchable day-ahead but is Fixed Gen in real-time shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh UDS LMP Desired MW.

- Pool-scheduled generators that are not following dispatch shall be assessed balancing Operating Reserve deviations according to the following formula: hourly integrated Real-time MWh hourly integrated Ramp-Limited Desired MW.
- If a resource's real-time economic minimum is greater than its day-ahead economic minimum by 5% or 5 MW, whichever is greater, or its real-time economic maximum is less than its Day Ahead economic maximum by 5% or 5 MW, whichever is lower, and UDS LMP Desired MWh for the hour is either below the real time economic minimum or above the real time economic maximum, then balancing Operating Reserve deviations for the resource shall be assessed according to the following formula: hourly integrated Real time MWh UDS LMP Desired MWh.
- If a resource is not following dispatch and its % Off Dispatch is <= 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time Mwh hourly integrated Ramp-Limited Desired MW. If deviation value is within 5% or 5 MW (whichever is greater) of Ramp-Limited Desired MW, balancing Operating Reserve deviations shall not be assessed.
- If a resource is not following dispatch and its % off Dispatch is > 20%, balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh UDS LMP Desired MWh.
- If a resource is not following dispatch, and the resource has tripped, for the hour the resource tripped and the hours it remains offline throughout its day-ahead schedule balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real time MWh Day-Ahead MWh.
- For resources that are not dispatchable in both the Day-Ahead and Real-time Energy Markets balancing Operating Reserve deviations shall be assessed according to the following formula: hourly integrated Real-time MWh Day-Ahead MWh.
- (o-1) Dispatchable economic load reduction resources that follow dispatch shall not be assessed balancing Operating Reserve deviations. Economic load reduction resources that do not follow dispatch shall be assessed balancing Operating Reserve deviations as described in this subsection and as further specified in the PJM Manuals.

The Desired MW quantity for such resources for each hour shall be the hourly integrated MW quantity to which the load reduction resource was dispatched for each hour (where the hourly integrated value is the average of the dispatched values as determined by the Office of the Interconnection for the resource for each hour).

If the actual reduction quantity for the load reduction resource for a given hour deviates by no more than 20% above or below the Desired MW quantity, then no balancing Operating Reserve deviation will accrue for that hour. If the actual reduction quantity for the load reduction resource for a given hour is outside the 20% bandwidth, the balancing Operating Reserve deviations will accrue for that hour in the amount of the absolute value of (Desired MW – actual

reduction quantity). For those hours where the actual reduction quantity is within the 20% bandwidth specified above, the load reduction resource will be eligible to be made whole for the total value of its offer as defined n section 3.3A of this Appendix. Hours for which the actual reduction quantity is outside the 20% bandwidth will not be eligible for the make-whole payment. If at least one hour is not eligible for make-whole payment based on the 20% criteria, then the resource will also not be made whole for its shutdown cost.

- (p) The Office of the Interconnection shall allocate the charges assessed pursuant to Section 3.2.3(h) of Schedule 1 of this Agreement except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, to real-time deviations from day-ahead schedules or real-time load share plus exports depending on whether the underlying balancing Operating Reserve credits are related to resources scheduled during the reliability analysis for an Operating Day, or during the actual Operating Day.
 - (i) For resources scheduled by the Office of the Interconnection during the reliability analysis for an Operating Day, the associated balancing Operating Reserve charges shall be allocated based on the reason the resource was scheduled according to the following provisions:
 - (A) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to operate in real-time to augment the physical resources committed in the Day-ahead Energy Market to meet the forecasted real-time load plus the Operating Reserve requirement, the associated balancing Operating Reserve charges shall be allocated to real-time deviations from day-ahead schedules.
 - (B) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource was committed to maintain system reliability, the associated balancing Operating Reserve charges shall be allocated according to ratio share of real time load plus export transactions.
 - (C) If the Office of the Interconnection determines during the reliability analysis for an Operating Day that a resource with a day-ahead schedule is required to deviate from that schedule to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated pursuant to (A) or (B) above.
 - (ii) For resources scheduled during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to the following provisions:
 - (A) If the Office of the Interconnection directs a resource to operate during an Operating Day to provide balancing Operating Reserves, the associated balancing Operating Reserve charges shall be allocated according to ratio share of

load plus exports. The foregoing notwithstanding, charges will be assessed pursuant to this section only if the LMP at the resource's bus does not meet or exceed the applicable offer of the resource for at least four-5-minute intervals during one or more discrete clock hours during each period the resource operated and produced MWs during the relevant Operating Day. If a resource operated and produced MWs for less than four 5-minute intervals during one or more discrete clock hours during the relevant Operating Day, the charges for that resource during the hour it was operated less than four 5-minute intervals will be identified as being in the same category as identified for the Operating Reserves for the other discrete clock hours.

- (B) If the Office of the Interconnection directs a resource not covered by Section 3.2.3(h)(ii)(A) of Schedule 1 of this Agreement to operate in real-time during an Operating Day, the associated balancing Operating Reserve charges shall be allocated according to real-time deviations from day-ahead schedules.
- (q) The Office of the Interconnection shall determine regional balancing Operating Reserve rates for the Western and Eastern Regions of the PJM Region. For the purposes of this section, the Western Region shall be the AEP, APS, ComEd, Duquesne, Dayton, ATSI, DEOK, EKPC transmission Zones, and the Eastern Region shall be the AEC, BGE, Dominion, PENELEC, PEPCO, ME, PPL, JCPL, PECO, DPL, PSEG, RE transmission Zones. The regional balancing Operating Reserve rates shall be determined in accordance with the following provisions:
 - (i) The Office of the Interconnection shall calculate regional adder rates for the Eastern and Western Regions. Regional adder rates shall be equal to the total balancing Operating Reserve credits paid to generators for transmission constraints that occur on transmission system capacity equal to or less than 345kv. The regional adder rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are designated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).
 - (ii) The Office of the Interconnection shall calculate RTO balancing Operating Reserve rates. RTO balancing Operating Reserve rates shall be equal to balancing Operating Reserve credits except those associated with the scheduling of units for Black Start service or testing of Black Start Units as provided in Schedule 6A of the PJM Tariff, in excess of the regional adder rates calculated pursuant to Section 3.2.3(q)(i) of Schedule 1 of this Agreement. The RTO balancing Operating Reserve rates shall be separated into reliability and deviation charges, which shall be allocated to real-time load or real-time deviations, respectively. Whether the underlying credits are allocated as reliability or deviation charges shall be determined in accordance with Section 3.2.3(p).
 - (iii) Reliability and deviation regional balancing Operating Reserve rates shall be determined by summing the relevant RTO balancing Operating Reserve rates and regional adder rates.

- (iv) If the Eastern and/or Western Regions do not have regional adder rates, the relevant regional balancing Operating Reserve rate shall be the reliability and/or deviation RTO balancing Operating Reserve rate.
- (r) Market Sellers that incur incremental operating costs for a generation resource greater than \$2,000/MWh, determined in accordance with Schedule 2 of the Operating Agreement and PJM Manual 15, will be eligible to receive credit for Operating Reserves upon review of the Market Monitoring Unit and the Office of the Interconnection, and approval of the Office of the Interconnection. Market Sellers must submit to the Office of the Interconnection and the Market Monitoring Unit all relevant documentation demonstrating the calculation of costs greater than \$2,000/MWh. The Office of the Interconnection must approve any Operating Reserve credits paid to a Market Seller under this subsection (r).

3.2.3A Synchronized Reserve.

- (a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Synchronized Reserve equal to its pro rata share of Synchronized Reserve requirements for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone or Reserve Sub-zone for the hour ("Synchronized Reserve Obligation"), less any amount obtained from condensers associated with provision of Reactive Services as described in section 3.2.3B(i) and any amount obtained from condensers associated with post-contingency operations, as described in section 3.2.3C(b). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Synchronized Reserve Obligation shall be charged for the Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Synchronized Reserve Market Clearing Price determined in accordance with subsection (d) of this section, plus the amounts, if any, described in subsections (g), (h) and (i) of this section.
- (b) A resource supplying Synchronized Reserve at the direction of the Office of the Interconnection, in excess of its hourly Synchronized Reserve Obligation, shall be credited as follows:
 - i) Credits for Synchronized Reserve provided by generation resources that are then subject to the energy dispatch signals and instructions of the Office of the Interconnection and that increase their current output or Demand Resources that reduce their load in response to a Synchronized Reserve Event ("Tier 1 Synchronized Reserve") shall be at the Synchronized Energy Premium Price less the hourly integrated real-time LMP, with the exception of those hours in which the Non-Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone is not equal to zero. During such hours, Tier 1 Synchronized Reserve resources shall be compensated at the Synchronized Reserve Market Clearing Price for the applicable Reserve Zone or Reserve Sub-zone for the lesser of the hourly integrated amount of Tier 1 Synchronized Reserve

attributed to the resource as calculated by the Office of the Interconnection, or the actual amount of Tier 1 Synchronized Reserve provided should a Synchronized Reserve Event occur.

- ii) Credits for Synchronized Reserve provided by generation resources that are synchronized to the grid but, at the direction of the Office of the Interconnection, are operating at a point that deviates from the Office of the Interconnection energy dispatch signals and instructions ("Tier 2 Synchronized Reserve") shall be the higher of (i) the Synchronized Reserve Market Clearing Price or (ii) the sum of (A) the Synchronized Reserve offer, and (B) the specific opportunity cost of the generation resource supplying the increment of Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
- iii) Credits for Synchronized Reserve provided by Demand Resources that are synchronized to the grid and accept the obligation to reduce load in response to a Synchronized Reserve Event initiated by the Office of the Interconnection shall be the sum of (i) the higher of (A) the Synchronized Reserve offer or (B) the Synchronized Reserve Market Clearing Price and (ii) if a Synchronized Reserve Event is actually initiated by the Office of the Interconnection and the Demand Resource reduced its load in response to the event, the fixed costs associated with achieving the load reduction, as specified in the PJM Manuals.
- (c) The Synchronized Reserve Energy Premium Price is the average of the five-minute Locational Marginal Prices calculated during the Synchronized Reserve Event plus an adder in an amount to be determined periodically by the Office of the Interconnection not less than fifty dollars and not to exceed one hundred dollars per megawatt hour.
- The Synchronized Reserve Market Clearing Price shall be determined for each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of serving the next increment of demand for Synchronized Reserve in each Reserve Zone or Reserve Sub-zone, inclusive of Synchronized Reserve offer prices and opportunity costs. When the Synchronized Reserve Requirement or Extended Synchronized Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met, the 5-minute clearing price shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the sum of the Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the sum of the Reserve Penalty Factors for the Primary Reserve Requirement and the Synchronized Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factors for the Synchronized Reserve Requirement shall each be phased in as described below:

- i. \$250/MWh for the 2012/2013 Delivery Year;
- ii. \$400/MWh for the 2013/2014 Delivery Year;
- iii. \$550/MWh for the 2014/2015 Delivery Year; and
- iv. \$850/MWh as of the 2015/2016 Delivery Year.

The Reserve Penalty Factor for the Extended Synchronized Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Synchronized Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

- (e) In determining the 5-minute Synchronized Reserve clearing price, the estimated unit-specific opportunity cost for a generation resource shall be equal to the sum of (i) the product of (A) the Locational Marginal Price at the generation bus for the generation resource times (B) the megawatts of energy used to provide Synchronized Reserve submitted as part of the Synchronized Reserve offer and (ii) the product of (A) the deviation of the set point of the generation resource that is expected to be required in order to provide Synchronized Reserve from the generation resource's expected output level if it had been dispatched in economic merit order times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.
- In determining the credit under subsection (b) to a resource selected to provide Tier 2 Synchronized Reserve and that actively follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Tier 2 Synchronized Reserve and shall be equal to the sum of (i) the product of (A) the megawatts of energy used by the resource to provide Synchronized Reserve as submitted as part of the generation resource's Synchronized Reserve offer times (B) the Locational Marginal Price at the generation bus of the generation resource, and (ii) the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the difference between the Locational Marginal Price at the generation bus for the generation resource and the offer price for energy from the generation resource (at the megawatt level of the Synchronized Reserve set point for the generation resource) in the PJM Interchange Energy Market when the Locational Marginal Price at the generation bus is greater than the offer price for energy from the generation resource. The opportunity costs for a Demand Resource shall be zero.

- (g) Charges for Tier 1 Synchronized Reserve will be allocated in proportion to the amount of Tier 1 Synchronized Reserve applied to each Synchronized Reserve Obligation. In the event Tier 1 Synchronized Reserve is provided by a Market Seller in excess of that Market Seller's Synchronized Reserve Obligation, the remainder of the Tier 1 Synchronized Reserve that is not utilized to fulfill the Seller's obligation will be allocated proportionately among all other Synchronized Reserve Obligations.
- (h) Any amounts credited for Tier 2 Synchronized Reserve in an hour in excess of the Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Synchronized Reserve Obligation in proportion to its purchases of Synchronized Reserve in megawatt-hours during that hour.
- (i) In the event the Office of the Interconnection needs to assign more Tier 2 Synchronized Reserve during an hour than was estimated as needed at the time the Synchronized Reserve Market Clearing Price was calculated for that hour due to a reduction in available Tier 1 Synchronized Reserve, the costs of the excess Tier 2 Synchronized Reserve shall be allocated and charged to those providers of Tier 1 Synchronized Reserve whose available Tier 1 Synchronized Reserve was reduced from the needed amount estimated during the Synchronized Reserve Market Clearing Price calculation, in proportion to the amount of the reduction in Tier 1 Synchronized Reserve availability.
- (j) In the event a generation resource or Demand Resource that either has been assigned by the Office of the Interconnection or self-scheduled to provide Tier 2 Synchronized Reserve fails to provide the assigned or self-scheduled amount of Tier 2 Synchronized Reserve in response to a Synchronized Reserve Event, the resource will be credited for Tier 2 Synchronized Reserve capacity in the amount that actually responded for all hours the resource was assigned or self-scheduled Tier 2 Synchronized Reserve on the Operating Day during which the event occurred. The determination of the amount of Synchronized Reserve credited to a resource shall be on an individual resource basis, not on an aggregate basis.

The resource shall refund payments received for Tier 2 Synchronized Reserve it failed to provide. For purposes of determining the amount of the payments to be refunded by a Market Participant, the Office of the Interconnection shall calculate the shortfall of Tier 2 Synchronized Reserve on an individual resource basis unless the Market Participant had multiple resources that were assigned or self-scheduled to provide Tier 2 Synchronized Reserve, in which case the shortfall will be determined on an aggregate basis. For performance determined on an aggregate basis, the response of any resource that provided more Tier 2 Synchronized Reserve than it was assigned or self-scheduled to provide will be used to offset the performance of other resources that provided less Tier 2 Synchronized Reserve than they were assigned or self-scheduled to provide during a Synchronized Reserve Event, as calculated in the PJM Manuals. The determination of a Market Participant's aggregate response shall not be taken into consideration in the determination of the amount of Tier 2 Synchronized Reserve credited to each individual resource.

The amount refunded shall be determined by multiplying the Synchronized Reserve Market Clearing Price by the amount of the shortfall of Tier 2 Synchronized Reserve, measured in megawatts, for all hours the resource was assigned or self-scheduled to provide Tier 2 Synchronized Reserve for a period of time immediately preceding the Synchronized Reserve Event equal to the lesser of the average number of days between Synchronized Reserve Events, or the number of days since the resource last failed to provide the amount of Tier 2 Synchronized Reserve it was assigned or self-scheduled to provide in response to a Synchronized Reserve Event. The average number of days between Synchronized Reserve Events for purposes of this calculation shall be determined by an annual review of the twenty-four month period ending October 31 of the calendar year in which the review is performed, and shall be rounded down to a whole day value. The Office of the Interconnection shall report the results of its annual review to stakeholders by no later than December 31, and the average number of days between Synchronized Reserve Events shall be effective as of the following January 1. The refunded charges shall be allocated as credits to Market Participants based on its pro rata share of the Synchronized Reserve Obligation megawatts less any Tier 1 Synchronized Reserve applied to its Synchronized Reserve Obligation in the hour(s) of the Synchronized Reserve Event for the Reserve Sub-zone or Reserve Zone, except that Market Participants that incur a refund obligation and also have an applicable Synchronized Reserve Obligation during the hour(s) of the Synchronized Reserve Event shall not be included in the allocation of such refund credits. If the event spans multiple hours, the refund credits will be prorated hourly based on the duration of the event within each clock hour.

- (k) The magnitude of response to a Synchronized Reserve Event by a generation resource or a Demand Resource, except for Batch Load Demand Resources covered by section 3.2.3A(l), is the difference between the generation resource's output or the Demand Resource's consumption at the start of the event and its output or consumption 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output or Demand Resource consumption at the start of the event is defined as the lowest telemetered generator resource output or greatest Demand Resource consumption between one minute prior to and one minute following the start of the event. Similarly, a generation resource's output or a Demand Resource's consumption 10 minutes after the event is defined as the greatest generator resource output or lowest Demand Resource consumption achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter. The response actually credited to a Demand Resource will be reduced by the amount the megawatt consumption of the Demand Resource exceeds the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.
- (l) The magnitude of response by a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the start of a Synchronized Reserve Event shall be the difference between (i) the Batch Load Demand Resource's consumption at the end of the Synchronized Reserve Event and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the end of the Synchronized Reserve Event in which the Batch Load Demand Resource's

consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the magnitude of the response shall be zero if, when the Synchronized Reserve Event commences, the scheduled off-cycle stage of the production cycle is greater than ten minutes.

3.2.3A.001 Non-Synchronized Reserve.

- (a) Each Market Participant that is a Load Serving Entity that is not part of an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have an obligation for hourly Non-Synchronized Reserve equal to its pro rata share of Non-Synchronized Reserve assigned for the hour for each Reserve Zone and Reserve Sub-zone of the PJM Region, based on the Market Buyer's total load (net of operating Behind The Meter Generation, but not to be less than zero) in such Reserve Zone and Reserve Sub-zone for the hour ("Non-Synchronized Reserve Obligation"). Those entities that participate in an agreement to share reserves with external entities subject to the requirements in BAL-002 shall have their reserve obligations determined based on the stipulations in such agreement. A Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation shall be charged for the Non-Synchronized Reserve dispatched by the Office of the Interconnection to meet such obligation at the Non-Synchronized Reserve Market Clearing Price determined in accordance with subsection (c) below, plus the amounts, if any, described in subsection (f) below.
- (b) Credits for Non-Synchronized Reserve provided by generation resources that are not operating for energy at the direction of the Office of the Interconnection specifically for the purpose of providing Non-Synchronized Reserve shall be the higher of (i) the Non-Synchronized Reserve Market Clearing Price or (ii) the specific opportunity cost of the generation resource supplying the increment of Non-Synchronized Reserve, as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals.
- The Non-Synchronized Reserve Market Clearing Price shall be determined for (c) each Reserve Zone and Reserve Sub-zone by the Office of the Interconnection for each hour of the Operating Day. The hourly Non-Synchronized Reserve Market Clearing Price shall be calculated as the average of all 5-minute clearing prices calculated during the operating hour. Each 5-minute clearing price shall be calculated as the marginal cost of procuring sufficient Non-Synchronized Reserves and/or Synchronized Reserves in each Reserve Zone or Reserve Subzone inclusive of opportunity costs associated with meeting the Primary Reserve Requirement or Extended Primary Reserve Requirement. When the Primary Reserve Requirement or Extended Primary Reserve Requirement in a Reserve Zone or Reserve Sub-zone cannot be met at a price less than or equal to the applicable Reserve Penalty Factor, the 5-minute clearing price for Non-Synchronized Reserve shall be at least greater than or equal to the applicable Reserve Penalty Factor for the Reserve Zone or Reserve Sub-zone, but less than or equal to the Reserve Penalty Factor for the Primary Reserve Requirement for the Reserve Zone or Reserve Sub-zone. If the Office of the Interconnection has initiated in a Reserve Zone or Reserve Sub-zone either a voltage reduction action as described in the PJM Manuals or a manual load dump action as described in the PJM Manuals, the 5-minute clearing price shall be the Reserve Penalty Factor for the Primary Reserve Requirement for that Reserve Zone or Reserve Sub-zone.

The Reserve Penalty Factors for the Primary Reserve Requirement shall each be phased in as described below:

- i. \$250/MWh for the 2012/2013 Delivery Year;
- ii. \$400/MWh for the 2013/2014 Delivery Year;
- iii. \$550/MWh for the 2014/2015 Delivery Year; and
- iv. \$850/MWh as of the 2015/2016 Delivery Year.

The Reserve Penalty Factor for the Extended Primary Reserve Requirement shall be \$300/MWh.

By no later than April 30 of each year, the Office of the Interconnection will analyze Market Participants' response to prices exceeding \$1,000/MWh on an annual basis and will provide its analysis to PJM stakeholders. The Office of the Interconnection will also review this analysis to determine whether any changes to the Primary Reserve Penalty Factors are warranted for subsequent Delivery Year(s).

- (d) In determining the 5-minute Non-Synchronized Reserve clearing price, the unit-specific opportunity cost for a generation resource that is not providing energy because they are providing Non-Synchronized Reserves shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order times, (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.
- (e) In determining the credit under subsection (b) to a resource selected to provide Non-Synchronized Reserve and that follows the Office of the Interconnection's signals and instructions, the unit-specific opportunity cost of a generation resource shall be determined for each hour that the Office of the Interconnection requires a generation resource to provide Non-Synchronized Reserve and shall be equal to the product of (A) the deviation of the generation resource's output necessary to follow the Office of the Interconnection's signals and instructions from the generation resource's expected output level if it had been dispatched in economic merit order, times (B) the Locational Marginal Price at the generation bus for the generation resource, minus (C) the applicable offer for energy from the generation resource in the PJM Interchange Energy Market.
- (f) Any amounts credited for Non-Synchronized Reserve in an hour in excess of the Non-Synchronized Reserve Market Clearing Price in that hour shall be allocated and charged to each Market Participant that does not meet its hourly Non-Synchronized Reserve Obligation in proportion to its purchases of Non-Synchronized Reserve in megawatt-hours during that hour.
- (g) The magnitude of response to a Non-Synchronized Reserve Event by a generation resource is the difference between the generation resource's output at the start of the event and its output 10 minutes after the start of the event. In order to allow for small fluctuations and possible telemetry delays, generation resource output at the start of the event is defined as the lowest telemetered generator resource output between one minute prior to and one minute

following the start of the event. Similarly, a generation resource's output 10 minutes after the start of the event is defined as the greatest generator resource output achieved between 9 and 11 minutes after the start of the event. The response actually credited to a generation resource will be reduced by the amount the megawatt output of the generation resource falls below the level achieved after 10 minutes by either the end of the event or after 30 minutes from the start of the event, whichever is shorter.

(h) In the event a generation resource that has been assigned by the Office of the Interconnection to provide Non-Synchronized Reserve fails to provide the assigned amount of Non-Synchronized Reserve in response to a Non-Synchronized Reserve Event, the resource will be credited for Non-Synchronized Reserve capacity in the amount that actually responded for the contiguous hours the resource was assigned Non-Synchronized Reserve during which the event occurred.

3.2.3A.01 Day-ahead Scheduling Reserves.

- (a) The Office of the Interconnection shall satisfy the Day-ahead Scheduling Reserves Requirement by procuring Day-ahead Scheduling Reserves in the Day-ahead Scheduling Reserves Market from Day-ahead Scheduling Reserves Resources, provided that Demand Resources shall be limited to providing the lesser of any limit established by the Reliability First Corporation or SERC, as applicable, or twenty-five percent of the total Day-ahead Scheduling Reserves Requirement. Day-ahead Scheduling Reserves Resources that clear in the Day-ahead Scheduling Reserves Market shall receive a Day-ahead Scheduling Reserves schedule from the Office of the Interconnection for the relevant Operating Day. PJMSettlement shall be the Counterparty to the purchases and sales of Day-ahead Scheduling Reserves in the PJM Interchange Energy Market; provided that PJMSettlement shall not be a contracting party to bilateral transactions between Market Participants or with respect to a self-schedule or self-supply of generation resources by a Market Buyer to satisfy its Day-ahead Scheduling Reserves Requirement.
- (b) A Day-ahead Scheduling Reserves Resource that receives a Day-ahead Scheduling Reserves schedule pursuant to subsection (a) of this section shall be paid the hourly Day-ahead Scheduling Reserves Market clearing price for the MW obligation in each hour of the schedule, subject to meeting the requirements of subsection (c) of this section.
- (c) To be eligible for payment pursuant to subsection (b) of this section, Day-ahead Scheduling Reserves Resources shall comply with the following provisions:
 - (i) Generation resources with a start time greater than thirty minutes are required to be synchronized and operating at the direction of the Office of the Interconnection during the resource's Day-ahead Scheduling Reserves schedule and shall have a dispatchable range equal to or greater than the Day-ahead Scheduling Reserves schedule.
 - (ii) Generation resources and Demand Resources with start times or shutdown times, respectively, equal to or less than 30 minutes are required to respond to

dispatch directives from the Office of the Interconnection during the resource's Dayahead Scheduling Reserves schedule. To meet this requirement the resource shall be required to start or shut down within the specified notification time plus its start or shut down time, provided that such time shall be less than thirty minutes.

- (iii) Demand Resources with a Day-ahead Scheduling Reserves schedule shall be credited based on the difference between the resource's MW consumption at the time the resource is directed by the Office of the Interconnection to reduce its load (starting MW usage) and the resource's MW consumption at the time when the Demand Resource is no longer dispatched by PJM (ending MW usage). For the purposes of this subsection, a resource's starting MW usage shall be the greatest telemetered consumption between one minute prior to and one minute following the issuance of a dispatch instruction from the Office of the Interconnection, and a resource's ending MW usage shall be the lowest consumption between one minute before and one minute after a dispatch instruction from the Office of the Interconnection that is no longer necessary to reduce.
- (iv) Notwithstanding subsection (iii) above, the credit for a Batch Load Demand Resource that is at the stage in its production cycle when its energy consumption is less than the level of megawatts in its offer at the time the resource is directed by the Office of the Interconnection to reduce its load shall be the difference between (i) the "ending MW usage" (as defined above) and (ii) the Batch Load Demand Resource's consumption during the minute within the ten minutes after the time of the "ending MW usage" in which the Batch Load Demand Resource's consumption was highest and for which its consumption in all subsequent minutes within the ten minutes was not less than fifty percent of the consumption in such minute; provided that, the credit shall be zero if, at the time the resource is directed by the Office of the Interconnection to reduce its load, the scheduled off-cycle stage of the production cycle is greater than the timeframe for which the resource was dispatched by PJM.

Resources that do not comply with the provisions of this subsection (c) shall not be eligible to receive credits pursuant to subsection (b) of this section.

- (d) The hourly credits paid to Day-ahead Scheduling Reserves Resources satisfying the Base Day-ahead Scheduling Reserves Requirement ("Base Day-ahead Scheduling Reserves credits") shall equal the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves charges per paragraph (i) below. The hourly credits paid to Day-ahead Scheduling Reserve Resources satisfying the Additional Day-ahead Scheduling Reserve Requirement ("Additional Day-ahead Scheduling Reserves credits") shall equal the ratio of the Additional Day-ahead Scheduling Reserves Requirement, multiplied by the total credits paid to Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves Resources and are allocated as Additional Day-ahead Scheduling Reserves Resources and are
 - (i) A Market Participant's Base Day-ahead Scheduling Reserves charge is equal to the ratio of the Market Participant's hourly obligation to the total hourly

obligation of all Market Participants in the PJM Region, multiplied by the Base Day-ahead Scheduling Reserves credits. The hourly obligation for each Market Participant is a megawatt representation of the portion of the Base Day-ahead Scheduling Reserves credits that the Market Participant is responsible for paying to PJM. The hourly obligation is equal to the Market Participant's load ratio share of the total megawatt volume of Base Day-ahead Scheduling Reserves resources (described below), based on the Market Participant's total hourly load (net of operating Behind The Meter Generation, but not to be less than zero) to the total hourly load of all Market Participants in the PJM Region. The total megawatt volume of Base Day-ahead Scheduling Reserves resources equals the ratio of the Base Day-ahead Scheduling Reserves Requirement to the Day-ahead Scheduling Reserves Requirement multiplied by the total volume of Day-ahead Scheduling Reserves megawatts paid pursuant to paragraph (c) of this section. A Market Participant's hourly Day-ahead Scheduling Reserves obligation can be further adjusted by any Day-ahead Scheduling Reserve bilateral transactions.

- (ii) Additional Day-ahead Scheduling Reserves credits shall be charged hourly to Market Participants that are net purchasers in the Day-ahead Energy Market based on its positive demand difference ratio share. The positive demand difference for each Market Participant is the difference between its real-time load (net of operating Behind The Meter Generation, but not to be less than zero) and cleared Demand Bids in the Day-ahead Energy Market, net of cleared Increment Offers and cleared Decrement Bids in the Day-ahead Energy Market, when such value is positive. Net purchasers in the Day-ahead Energy Market are those Market Participants that have cleared Demand Bids plus cleared Decrement Bids in excess of its amount of cleared Increment Offers in the Day-ahead Energy Market. If there are no Market Participants with a positive demand difference, the Additional Day-ahead Scheduling Reserves credits are allocated according to paragraph (i) above.
- (e) If the Day-ahead Scheduling Reserves Requirement is not satisfied through the operation of subsection (a) of this section, any additional Operating Reserves required to meet the requirement shall be scheduled by the Office of the Interconnection pursuant to Section 3.2.3 of Schedule 1 of this Agreement.

3.2.3B Reactive Services.

- (a) A Market Seller providing Reactive Services at the direction of the Office of the Interconnection shall be credited as specified below for the operation of its resource. These provisions are intended to provide payments to generating units when the LMP dispatch algorithms would not result in the dispatch needed for the required reactive service. LMP will be used to compensate generators that are subject to redispatch for reactive transfer limits.
- (b) At the end of each Operating Day, where the active energy output of a Market Seller's resource is reduced or suspended at the request of the Office of the Interconnection for

the purpose of maintaining reactive reliability within the PJM Region, the Market Seller shall be credited according to Sections 3.2.3B(c) & 3.2.3B(d).

(c) A Market Seller providing Reactive Services from either a steam-electric generating unit or combined cycle unit operating in combined cycle mode, where such unit is pool-scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override) shall be compensated for lost opportunity cost by receiving a credit hourly in an amount equal to the product of (A) the deviation of the generating unit's output necessary to follow the Office of the Interconnection's signals and the generating unit's expected output level if it had been dispatched in economic merit order, times (B) the Real-time Price at the generating unit was committed in the Real-time Energy Market, provided that the resulting outcome is greater than \$0.00. This equation is represented as (A*B) - C.

The deviation of the generating unit's output is equal to the lesser of the PJM forecasted output for the unit or level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time Locational Marginal Price, and shall be limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, minus the actual hourly integrated output of the unit.

For pool-scheduled generating units, their applicable offer for energy is the offer on which the resource was committed. For self-scheduled generating units, their applicable offer for energy shall equal the real-time scheduled offer curve on which the unit was operating, unless such schedule was a price-based schedule and the offer associated with that price schedule is less than the cost-based offer provided for the unit, in which case the offer for the unit will be determined from the cost-based schedule.

- (d) A Market Seller providing Reactive Services from either a combustion turbine unit or combined cycle unit operating in simple cycle mode that is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), operated as requested by the Office of the Interconnection, shall be compensated for lost opportunity cost, limited to the lesser of the unit's Economic Maximum or the unit's Maximum Facility Output, if either of the following conditions occur:
 - (i) if the unit output is reduced at the direction of the Office of the Interconnection and the real time LMP at the unit's bus is higher than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection as directed by the PJM dispatcher, then the Market Seller shall be credited in a manner consistent with that described above in Section 3.2.3B(c) for a steam unit or a combined cycle unit operating in combined cycle mode.

(ii) if the unit is scheduled to produce energy in the day-ahead market, but the unit is not called on by PJM and does not operate in real time, then the Market Seller shall be credited hourly in an amount equal to the higher of (i) $\{(URTLMP - UDALMP) \times DAG, \text{ or (ii) } \{(URTLMP - UB) \times DAG \text{ where:} \}$

URTLMP equals the real time LMP at the unit's bus;

UDALMP equals the day-ahead LMP at the unit's bus;

DAG equals the day-ahead scheduled unit output for the hour;

UB equals the offer price for the unit determined according to the schedule on which the unit was committed day-ahead, unless such schedule was a price-based schedule and the offer associated with that price-based schedule is less than the cost-based offer for the unit, in which case the offer for the unit will be determined based on the cost-based schedule; and

where URTLMP - UDALMP and URTLMP – UB shall not be negative.

- (e) At the end of each Operating Day, where the active energy output of a Market Seller's unit is increased at the request of the Office of the Interconnection for the purpose of maintaining reactive reliability within the PJM Region and the offered price of the energy is above the real-time LMP at the unit's bus, the Market Seller shall be credited according to Section 3.2.3B(f).
- (f) A Market Seller providing Reactive Services from either a steam-electric generating unit, combined cycle unit or combustion turbine unit, where such unit is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the hourly integrated, real time LMP at the unit's bus is lower than the price offered by the Market Seller for energy from the unit at the level of output requested by the Office of the Interconnection (as indicated either by the desired MWs of output from the unit determined by PJM's unit dispatch system or as directed by the PJM dispatcher through a manual override), shall receive a credit hourly in an amount equal to {(AG LMPDMW) x (UB URTLMP)} where:

AG equals the actual hourly integrated output of the unit;

LMPDMW equals the level of output for the unit determined according to the point on the scheduled offer curve on which the unit was operating corresponding to the hourly integrated real time LMP at the unit's bus and adjusted for any Regulation or Tier 2 Synchronized Reserve assignments;

UB equals the unit offer for that unit for which output is increased, determined according to the real time scheduled offer curve on which the unit was operating;

URTLMP equals the real time LMP at the unit's bus; and

where UB - URTLMP shall not be negative.

- (g) A Market Seller providing Reactive Services from a hydroelectric resource where such resource is pool scheduled (or self-scheduled, if operating according to Section 1.10.3 (c) hereof), and where the output of such resource is altered from the schedule submitted by the Market Seller for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, shall be compensated for lost opportunity cost in the same manner as provided in sections 3.2.2(d) and 3.2.3A(f) and further detailed in the PJM Manuals.
- (h) If a Market Seller believes that, due to specific pre-existing binding commitments to which it is a party, and that properly should be recognized for purposes of this section, the above calculations do not accurately compensate the Market Seller for lost opportunity cost associated with following the Office of the Interconnection's dispatch instructions to reduce or suspend a unit's output for the purpose of maintaining reactive reliability, then the Office of the Interconnection, the Market Monitoring Unit and the individual Market Seller will discuss a mutually acceptable, modified amount of such alternate lost opportunity cost compensation, taking into account the specific circumstances binding on the Market Seller. Following such discussion, if the Office of the Interconnection accepts a modified amount of alternate lost opportunity cost compensation, the Office of the Interconnection shall invoice the Market Seller accordingly. If the Market Monitoring Unit disagrees with the modified amount of alternate lost opportunity cost compensation, as accepted by the Office of the Interconnection, it will exercise its powers to inform the Commission staff of its concerns.
- The amount of Synchronized Reserve provided by generating units maintaining (i) reactive reliability shall be counted as Synchronized Reserve satisfying the overall PJM Synchronized Reserve requirements. Operators of these generating units shall be notified of such provision, and to the extent a generating unit's operator indicates that the generating unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated to provide Reactive Services also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing for the purpose of maintaining reactive reliability at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generating unit provided synchronous condensing multiplied by the amount of Synchronized reserve provided by the synchronous condenser or (ii) the sum of (A) the generating unit's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of MW energy usage for providing synchronous condensing multiplied by the real time LMP at the generating unit's bus, (C) the generating unit's startup-cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generating resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated to provide Reactive Services was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generating unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are

located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (l) below.

- (j) A Market Seller's pool scheduled steam-electric generating unit or combined cycle unit operating in combined cycle mode, that is not committed to operate in the Day-ahead Market, but that is directed by the Office of the Interconnection to operate solely for the purpose of maintaining reactive reliability, at the request of the Office of the Interconnection, shall be credited in the amount of the unit's offered price for start-up and no-load fees. The unit also shall receive, if applicable, compensation in accordance with Sections 3.2.3B(e)-(f).
- (k) The sum of the foregoing credits as specified in Sections 3.2.3B(b)-(j) shall be the cost of Reactive Services for the purpose of maintaining reactive reliability for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched for the purpose of maintaining reactive reliability in such transmission zone.
- (l) The cost of Reactive Services for the purpose of maintaining reactive reliability in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.
- (m) Generating units receiving dispatch instructions from the Office of the Interconnection under the expectation of increased actual or reserve reactive shall inform the Office of the Interconnection dispatcher if the requested reactive capability is not achievable. Should the operator of a unit receiving such instructions realize at any time during which said instruction is effective that the unit is not, or likely would not be able to, provide the requested amount of reactive support, the operator shall as soon as practicable inform the Office of the Interconnection dispatcher of the unit's inability, or expected inability, to provide the required reactive support, so that the associated dispatch instruction may be cancelled. PJM Performance Compliance personnel will audit operations after-the-fact to determine whether a unit that has altered its active power output at the request of the Office of the Interconnection has provided the actual reactive support or the reactive reserve capability requested by the Office of the Interconnection. PJM shall utilize data including, but not limited to, historical reactive performance and stated reactive capability curves in order to make this determination, and may withhold such compensation as described above if reactive support as requested by the Office of the Interconnection was not or could not have been provided.

3.2.3C Synchronous Condensing for Post-Contingency Operation.

(a) Under normal circumstances, PJM operates generation out of merit order to control contingency overloads when the flow on the monitored element for loss of the contingent

element ("contingency flow") exceeds the long-term emergency rating for that facility, typically a 4-hour or 2-hour rating. At times however, and under certain, specific system conditions, PJM does not operate generation out of merit order for certain contingency overloads until the contingency flow on the monitored element exceeds the 30-minute rating for that facility ("post-contingency operation"). In conjunction with such operation, when the contingency flow on such element exceeds the long-term emergency rating, PJM operates synchronous condensers in the areas affected by such constraints, to the extent they are available, to provide greater certainty that such resources will be capable of producing energy in sufficient time to reduce the flow on the monitored element below the normal rating should such contingency occur.

- (b) The amount of Synchronized Reserve provided by synchronous condensers associated with post-contingency operation shall be counted as Synchronized Reserve satisfying the PJM Synchronized Reserve requirements. Operators of these generation units shall be notified of such provision, and to the extent a generation unit's operator indicates that the generation unit is capable of providing Synchronized Reserve, shall be subject to the same requirements contained in Section 3.2.3A regarding provision of Tier 2 Synchronized Reserve. At the end of each Operating Day, to the extent a condenser operated in conjunction with postcontingency operation also provided Synchronized Reserve, a Market Seller shall be credited for providing synchronous condensing in conjunction with post-contingency operation at the request of the Office of the Interconnection, in an amount equal to the higher of (i) the hourly Synchronized Reserve Market Clearing Price for each hour a generation resource provided synchronous condensing multiplied by the amount of Synchronized Reserve provided by the synchronous condenser or (ii) the sum of (A) the generation resource's hourly cost to provide synchronous condensing, calculated in accordance with the PJM Manuals, (B) the hourly product of the megawatts of energy used to provide synchronous condensing multiplied by the real-time LMP at the generation bus of the generation resource, (C) the generation resource's start-up cost of providing synchronous condensing, and (D) the unit-specific lost opportunity cost of the generation resource supplying the increment of Synchronized Reserve as determined by the Office of the Interconnection in accordance with procedures specified in the PJM Manuals. To the extent a condenser operated in association with post-contingency constraint control was not also providing Synchronized Reserve, the Market Seller shall be credited only for the generation unit's cost to condense, as described in (ii) above. The total Synchronized Reserve Obligations of all Load Serving Entities under section 3.2.3A(a) in the zone where these condensers are located shall be reduced by the amount counted as satisfying the PJM Synchronized Reserve requirements. The Synchronized Reserve Obligation of each Load Serving Entity in the zone under section 3.2.3A(a) shall be reduced to the same extent that the costs of such condensers counted as Synchronized Reserve are allocated to such Load Serving Entity pursuant to subsection (d) below.
- (c) The sum of the foregoing credits as specified in section 3.2.3C(b) shall be the cost of synchronous condensers associated with post-contingency operations for the Operating Day and shall be separately determined for each transmission zone in the PJM Region based on whether the resource was dispatched in association with post-contingency operation in such transmission zone.

(d) The cost of synchronous condensers associated with post-contingency operations in a transmission zone in the PJM Region for each Operating Day shall be allocated and charged to each Market Participant in proportion to its deliveries of energy to load (net of operating Behind The Meter Generation) in such transmission zone, served under Network Transmission Service, in megawatt-hours during that Operating Day, as compared to all such deliveries for all Market Participants in such transmission zone.

3.2.4 Transmission Congestion Charges.

Each Market Buyer shall be assessed Transmission Congestion Charges as specified in Section 5 of this Schedule.

3.2.5 Transmission Loss Charges.

Each Market Buyer shall be assessed Transmission Loss Charges as specified in Section 5 of this Schedule.

3.2.6 Emergency Energy.

- (a) When the Office of the Interconnection has implemented Emergency procedures, resources offering Emergency energy are eligible to set real-time Locational Marginal Prices, capped at the energy offer cap plus the sum of the applicable Reserve Penalty Factors for the Synchronized Reserve Requirement and Primary Reserve Requirement, provided that the Emergency energy is needed to meet demand in the PJM Region.
- (b) Market Participants shall be allocated a proportionate share of the net cost of Emergency energy purchased by the Office of the Interconnection. Such allocated share during each hour of such Emergency energy purchase shall be in proportion to the amount of each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales. This deviation shall not include any reduction or suspension of output of pool scheduled resources requested by PJM to manage an Emergency within the PJM Region.
- (c) Net revenues in excess of Real-time Prices attributable to sales of energy in connection with Emergencies to other Control Areas shall be credited to Market Participants during each hour of such Emergency energy sale in proportion to the sum of (i) each Market Participant's real-time deviation from its net PJM Interchange in the Day-ahead Energy Market, whenever that deviation increases the Market Participant's spot market purchases or decreases its spot market sales, and (ii) each Market Participant's energy sales from within the PJM Region to entities outside the PJM Region that have been curtailed by PJM.
- (d) The net costs or net revenues associated with sales or purchases of hourly energy in connection with a Minimum Generation Emergency in the PJM Region, or in another Control Area, shall be allocated during each hour of such Emergency sale or purchase to each Market Participant in proportion to the amount of each Market Participant's real-time deviation from its

net PJM Interchange in the Day-ahead Market, whenever that deviation increases the Market Participant's spot market sales or decreases its spot market purchases.

3.2.7 Billing.

- (a) PJMSettlement shall prepare a billing statement each billing cycle for each Market Buyer in accordance with the charges and credits specified in Sections 3.2.1 through 3.2.6 of this Schedule, and showing the net amount to be paid or received by the Market Buyer. Billing statements shall provide sufficient detail, as specified in the PJM Manuals, to allow verification of the billing amounts and completion of the Market Buyer's internal accounting.
- (b) If deliveries to a Market Buyer that has PJM Interchange meters in accordance with Section 14 of the Operating Agreement include amounts delivered for a Market Participant that does not have PJM Interchange meters separate from those of the metered Market Buyer, PJMSettlement shall prepare a separate billing statement for the unmetered Market Participant based on the allocation of deliveries agreed upon between the Market Buyer and the unmetered Market Participant specified by them to the Office of the Interconnection.

3.6 Metering Reconciliation.

3.6.1 Meter Correction Billing.

Metering errors and corrections will be reconciled at the end of each month by a meter correction charge (positive or negative). The monthly meter correction charge for tie meter corrections shall be the product of the positive or negative deviation in energy amounts, times the load weighted average real-time Locational Marginal Price for all hours of that month for all load buses in the PJM Region. The monthly meter correction charge for generator meter corrections shall be the product of the positive or negative deviation in energy amounts, times the generation weighted average Locational Marginal Price at that generator's bus for all hours of that month.

3.6.2 Meter Corrections Between Market Participants.

If a Market Participant or the Office of the Interconnection discovers a meter error affecting an interchange of energy with another Market Participant and makes the error known to such other Market Participant prior to the completion by the Office of the Interconnection of the accounting for the interchange, and if both Market Participants are willing to adjust hourly load records to compensate for the error and such adjustment does not affect other parties, an adjustment in load records may be made by the Market Participants in order to correct for the meter error, provided corrected information is furnished to the Office of the Interconnection in accordance with the Office of the Interconnection's accounting deadlines. No such adjustment may be made if the accounting for the Operating Day in which the interchange occurred has been completed by the Office of the Interconnection. If this is not practical, the error shall be accounted for by a correction at the end of the billing cycle. The Market Participants experiencing the error shall account for the full amount of the discrepancy and an appropriate debit or credit shall be applied to the Market Participants. For Market Participants that are Electric Distributors that request the debit and credit to be further allocated to all Network Service Users in their territory (as documented in the PJM Manuals), where all Load Serving Entities in the respective Electric Distributor territory agree, the appropriate debit or credit shall be applied among Network Service Users in proportion to their deliveries to load served in the applicable territory.

3.6.3 500 kV Meter Errors.

Billing shall be adjusted to account for errors in meters on 500 kV Transmission Facilities within the PJM Pre-Expansion Zones (excluding Allegheny Power) or between the PJM Pre-Expansion Zones (excluding Allegheny Power) and Allegheny Power. The Market Participant with the tie meter or generator meter experiencing the error shall account for the full amount of the discrepancy and an appropriate debit or credit shall be applied among Electric Distributors that report hourly net energy flows from metered Ttie Ltines in the Pre-Expansion Zones (excluding Allegheny Power) in proportion to the load consumed in their territories. The error shall be accounted for by a correction at the end of the billing cycle. For Market Participants that are Electric Distributors that request the debit and credit to be further allocated to all Network Service Users in their territory (as documented in the PJM Manuals), where all Load Serving Entities in the respective Electric Distributor territory agree, the appropriate debit or credit shall

be applied among Network Service Users in proportion to their deliveries to load served in the applicable territory.

3.6.4 Meter Corrections Between Control Areas.

An error between accounted for and metered interchange between a Party in the PJM Region and an entity in a Control Area other than the PJM Region shall be corrected by adjusting the hourly meter readings. If this is not practical, the error shall be accounted for by a correction at the end of the billing cycle. The Market Participant with ties to such other Control Area experiencing the error shall account for the full amount of the discrepancy. However, if the meter correction applies to a tie on the 500 kV system between the PJM Pre-Expansion Zones (excluding Allegheny Power) and other Control Areas, Electric Distributors that report hourly net energy flows from metered Ttie Ltines in the Pre-Expansion Zones (excluding Allegheny Power) shall account for the full amount of the discrepancy in proportion to the load consumed in their territories. The appropriate debit or credit shall be applied among Network Service Users in proportion to their deliveries to load served in the PJM Region. The Office of the Interconnection will adjust the actual interchange between the other Control Area and the PJM Region to maintain a proper record of inadvertent energy flow.

3.6.5 Meter Correction Data.

Meter error data shall be submitted to the Office of the Interconnection not later than the last business day of the month following the end of the monthly billing cycle applicable to the meter correction.

3.6.6 Correction Limits.

A Market Participant may not assert a claim for an adjustment in billing as a result of a meter error for any error discovered more than two years after the date on which the metering occurred. Any claim for an adjustment in billing as a result of a meter error shall be limited to bills for transactions occurring in the most recent annual accounting period of the billing Market Participant in which the meter error occurred, and the prior annual accounting period.

5.1 Transmission Congestion Charge Calculation.

5.1.1 Calculation by Office of the Interconnection.

When the transmission system is operating under constrained conditions, or as necessary to provide third-party transmission provider losses, the Office of the Interconnection shall calculate Transmission Congestion Charges for each Network Service User, Market Participants in the PJM Interchange Energy Market, and each Transmission Customer.

5.1.2 General.

The Office of the Interconnection shall calculate Congestion Prices in the form of Day-ahead Congestion Prices and Real-time Congestion Prices for the PJM Region, in accordance with Section 2 of this Schedule.

5.1.3 Network Service User Calculation.

- (a) Each Network Service User shall be charged for the increased cost of energy incurred by it during each constrained hour to deliver the output of its firm Generation Capacity Resources or other owned or contracted for resources, its firm bilateral purchases, and its non-firm bilateral purchases as to which it has elected to pay Transmission Congestion Charges.
- (b) Market Buyers shall be charged for transmission congestion resulting from all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant load bus.
- (c) Generating Market Buyers shall be reimbursed for transmission congestion resulting from all energy scheduled to be delivered to the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant generation bus.
- (d) Market Sellers shall be reimbursed for transmission congestion resulting from all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead Congestion Prices applicable to each relevant generation bus.
- (e) (i) The hourly net amount of energy delivered at each generation bus is determined by revenue meter data if available, or by the State Estimator, if revenue meter data is not available. The total load actually served at each load bus is initially determined by the State Estimator. For each Electric Distributor that reports hourly net energy flows from metered Ttie Ltines and for which all generators within the Electric Distributor's territory report revenue quality, hourly net energy delivered, the total revenue meter load within the Electric Distributor's territory is calculated as the sum of all net import energy flows reported by their tie revenue meters and all net generation reported via generator revenue meters. The amount of load at each of such Electric Distributor's load buses calculated by the State Estimator is then adjusted, in proportion to its share of the total load of that Electric Distributor, in order that the total amount

of load across all of the Electric Distributor's load buses matches its total revenue meter calculated load.

- (ii) To determine the amount of load served by each LSE in an Electric Distributor's territory, PJMSettlement utilizes the information submitted into PJM's internal energy scheduling tool by LSEs and Electric Distributors for their respective load settlements ("load contract"), including the names of the LSE responsible for serving the load and the Electric Distributor in whose territory the load is located, the number of megawatts of load assigned to the LSE for each hour, the Energy Settlement Area at which load is to be priced, and the start and end dates for the load contract. During the settlements process, load assigned to an LSE at a specified Energy Settlement Area is further assigned to individual load buses included in the Energy Settlement Area, based on the definition for the Energy Settlement Area as defined in Section 31.7 of the PJM Tariff, which specifies the percentage of the Energy Settlement Area that each bus represents, to identify the LSE's hourly megawatts of load at each bus. All megawatts of load assigned to LSEs in an Electric Distributor's territory as described herein are subtracted from the total megawatts of load for which the Electric Distributor is responsible as determined in subsection (e)(i) above.
- (iii) Electric Distributors that hold Provider of Last Resort ("POLR") auctions or similar load auctions may direct PJM to automatically assign megawatt hours for which the Electric Distributor is responsible, as determined in subsection (e)(ii) above, to the LSEs whose bids were accepted in the auction ("POLR Suppliers") based on the tranches the POLR Suppliers won in the auction, as a billing service, based on their contracts associated with the POLR load programs. In such case, the POLR Supplier's share of load shall be determined by multiplying the megawatt hours at each bus that were not specifically assigned under load contracts by the percentage of load won by the POLR Supplier in proportion to its share of the total POLR load of the Electric Distributor. This billing service may also apply to Electric Distributors and LSEs that mutually agree upon a transfer of load from the EDC to the LSE based upon a specified percentage of the megawatt hours at each bus that were not specifically assigned under load contracts.
- Interconnection shall calculate the Transmission Congestion Charges at each Market Buyer's load bus to be charged for congestion at Real-time Congestion Prices determined by the product of the hourly Real-time Congestion Price at the relevant bus times the Market Buyer's megawatts of load (net of operating Behind The Meter Generation, but not to be less than zero) at the bus in that hour in excess of the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the hour in the Day-ahead Energy Market. To the extent that the load (net of operating Behind The Meter Generation, but not to be less than zero) actually served at a load bus is less than the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the Day-ahead Energy Market, the Market Buyer shall be paid for the difference at the Real-time Congestion Price for the load bus at the time of the shortfall. The megawatts of load at each load bus shall be the sum of the megawatts of load (net of operating Behind The Meter Generation, but not less than zero) for that bus of that Market Buyer plus any megawatts of that Market Buyer's bilateral sales attributable to that bus. The total load charge for each Market

Buyer shall be the sum, for each of a Market Buyer's load buses, of the charges at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1a plus the charges at Real-time Congestion Prices determined as specified herein, net of any payments specified herein for each of the Market Buyer's load buses.

- At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the transmission congestion payments at each Generating Market Buyer's generation bus to be paid at Real-time Congestion Prices, determined by the product of the hourly Real-time Congestion Price at the relevant bus times the Generating Market Buyer's megawatts of generation at such generation bus in the hour in excess of the energy scheduled to be injected at that bus in that hour in the Day-ahead Energy Market. To the extent that the energy actually injected at the generation bus is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Generating Market Buyer shall be debited for the difference at the Real-time Congestion Price for the generation bus at the time of the shortfall. The megawatts of generation at each generation bus shall be the sum of the megawatts of generation for that bus of that Generating Market Buyer plus any megawatts of bilateral purchases of that Generating Market Buyer attributable to that bus. The total generation revenue for each Generating Market Buyer shall be the sum, for each of the Generating Market Buyer's generation buses, of the revenues at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Congestion Prices determined as specified herein, net of any debits specified herein for each of the Market Buyer's generation buses.
- A Market Seller shall be paid for transmission congestion that results from the Real-time sales of energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its credits determined by the product of (i) the hourly net amount of energy delivered to the PJM Region at the applicable generation or interface bus in excess of the amount scheduled to be delivered in that hour at that bus in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time Congestion Price at that bus. To the extent that the energy actually injected at a generation or interface bus in any hour is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time Congestion Price for the applicable bus at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum, for each of the Market Seller's generation buses or Interface Pricing Points, of the revenues at Day-ahead Congestion Prices determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Congestion Prices determined as specified herein, net of any debits specified herein for each of the Market Seller's generation or interface buses.

5.1.4 Transmission Customer Calculation.

Each Transmission Customer using Firm Point-to-Point Transmission Service (as defined in the PJM Tariff), each Network Customer, and each Transmission Customer using Non-Firm Pointto-Point Transmission Service (as defined in the PJM Tariff) that has elected to pay Transmission Congestion Charges, shall be charged for the increased cost of energy during constrained hours for the delivery of energy using such Transmission Service. Except as specified in this subsection, a Transmission Congestion Charge shall be assessed for transmission use scheduled in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region and the Dayahead Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. Transmission Congestion Charges shall be assessed for real-time transmission use in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region. A Transmission Customer shall be paid for Transmission Congestion Charges for real-time transmission use falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Congestion Price at the delivery point or the delivery Interface Pricing Point at the boundary of the PJM Region, and the Real-time Congestion Price at the source point or the source Interface Pricing Point at the boundary of the PJM Region.

5.1.4A Transaction Calculation.

Each Market Participant entering into transactions in the PJM Interchange Energy Markets shall be charged for the increased cost of energy during constrained hours for the delivery of energy on the scheduled path. Except as specified in this subsection, a Transmission Congestion Charge shall be assessed for cleared MWh in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Congestion Price at the sink point and the Day-ahead Congestion Price at the source point. Transmission Congestion Charges shall be assessed for real-time cleared MWh in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Congestion Price at the sink point and the Real-time Congestion Charges for real-time cleared MWh falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Congestion Price at the sink point and the Real-time Congestion Price at the source point.

5.1.5 Operating Margin Customer Calculation.

Each Control Area purchasing Operating Margin shall be assessed Transmission Congestion Charges for any increase in the cost of energy resulting from the provision of Operating Margin. The Transmission Congestion Charge shall be the amount of Operating Margin purchased in an hour multiplied by the difference in the Locational Marginal Price at what would be the delivery Interface Pricing Point and the Locational Marginal Price at what would be the source Interface Pricing Point, if the operating contingency that was the basis for the purchase of Operating Margin had occurred in that hour. Operating Margin may be allocated among multiple source and delivery Interface Pricing Points in accordance with an applicable load flow study.

5.1.6 Transmission Loading Relief Customer Calculation.

- (a) Each Transmission Loading Relief Customer shall be assessed Transmission Congestion Charges for any increase in the cost of energy in the PJM Region resulting from its energy schedules over contract paths outside the PJM Region during Transmission Loading Relief.
- (b) The Transmission Congestion Charge shall be the total amount of energy specified in such energy schedules multiplied by the difference between a Locational Marginal Price calculated by the Office of the Interconnection for the energy schedule source location specified in the NERC Interchange Distribution Calculator and a Locational Marginal Price calculated by the Office of the Interconnection for the energy schedule sink location specified in the NERC Interchange Distribution Calculator. Transmission Congestion Charges that are less than zero shall be set equal to zero for Transmission Loading Relief Customers.
- (c) The Office of the Interconnection will determine the Locational Marginal Prices at the energy schedule source and sink locations external to PJM with reference to and based solely on the prices of energy in the PJM Region and at the Interface Pricing Points between adjacent Control Areas and the PJM Region and the system conditions and actual power flow distributions as described by the PJM State Estimator program. The Office of the Interconnection will determine the Locational Marginal Prices at the external energy schedule source and sink locations and the resulting Congestion Charge based on the portion of the energy schedule that flows through the PJM Region as reflected by the flow distributions from the PJM State Estimator program.

5.1.7 Total Transmission Congestion Charges.

The total Transmission Congestion Charges collected by PJMSettlement each hour will be the aggregate net amounts determined as specified in the PJM Manuals. PJMSettlement shall collect Transmission Congestion Charges for each hour the transmission system operates under constrained conditions.

5.4 Transmission Loss Charge Calculation.

5.4.1 Calculation by Office of the Interconnection.

The Office of the Interconnection shall calculate Transmission Loss Charges for each Network Service User, Market Participant in the PJM Interchange Energy Market, and each Transmission Customer.

5.4.2 General.

(a) The basis for the Transmission Loss Charges shall be the differences in the Locational Marginal Prices, defined as the Loss Price at a bus, between points of delivery and points of receipt, as determined in accordance with Section 2 of this Schedule. (b) The Office of the Interconnection shall calculate Loss Prices in the form of Day-ahead Loss Prices and Real-time Loss Prices for the PJM Region, in accordance with Section 2 of this Schedule.

5.4.3 Network Service User Calculation.

- (a) Each Network Service User shall be charged for the increased cost of transmission losses to deliver the output of its firm Capacity Resources or other owned or contracted for resources, its firm bilateral purchases, and its non-firm bilateral purchases.
- (b) Market Buyers shall be charged for transmission losses resulting from all load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served from the PJM Interchange Energy Market in the Day-ahead Energy Market at the Day-ahead Loss Price applicable to each relevant load bus.
- (c) Generating Market Buyers shall be reimbursed for transmission losses resulting from all energy scheduled to be delivered to the PJM Interchange Energy Market in the Dayahead Energy Market at the Dayahead Loss Price applicable to each relevant generation bus.
- (d) Market Sellers shall be reimbursed for transmission losses resulting from all energy scheduled to be delivered in the Day-ahead Energy Market at the Day-ahead Loss Prices applicable to each relevant generation bus.
- (e) (i) The hourly net amount of energy delivered at each generation bus is determined by revenue meter data, if available, or by the State Estimator, if revenue meter data is not available. The total load actually served at each load bus is initially determined by the State Estimator. For each Electric Distributor that reports hourly net energy flows from metered Ttie Lines and for which all generators within the Electric Distributor's territory report revenue quality, hourly net energy delivered, the total revenue meter load within the Electric Distributor's territory is calculated as the sum of all net import energy flows reported by their tie revenue meters and all net generation reported via generator revenue meters. The amount of load at each of such Electric Distributor's load buses calculated by the State Estimator is then adjusted, in proportion to its share of the total load of that Electric Distributor, in order that the total amount

of load across all of the Electric Distributor's load buses matches its total revenue meter calculated load.

- (ii) To determine the amount of load served by each LSE in an Electric Distributor's territory, PJMSettlement utilizes the information submitted into PJM's internal energy scheduling tool by LSEs and Electric Distributors for their respective load contracts, including the names of the LSE responsible for serving the load and the Electric Distributor in whose territory the load is located, the number of megawatts of load assigned to the LSE for each hour, the Energy Settlement Area at which load is to be priced, and the start and end dates for the load contract. During the settlements process, load assigned to an LSE at a specified Energy Settlement Area is further assigned to individual load buses included in the Energy Settlement Area, based on the definition for the Energy Settlement Area as defined in Section 31.7 of the PJM Tariff, which specifies the percentage of the Energy Settlement Area that each bus represents, to identify the LSE's hourly megawatts of load at each bus. All megawatts of load assigned to LSEs in an Electric Distributor's territory as described herein are subtracted from the total megawatts of load for which the Electric Distributor is responsible as determined in subsection (e)(i) above.
- (iii) Electric Distributors that hold POLR auctions or similar load auctions may direct PJM to automatically assign megawatt hours for which the Electric Distributor is responsible, as determined in subsection (e)(ii) above, to the POLR Suppliers based on the tranches the POLR Suppliers won in the auction, as a billing service, based on their contracts associated with the POLR load programs. In such case, the POLR Supplier's share of load shall be determined by multiplying the megawatt hours at each bus that were not specifically assigned under load contracts by the percentage of load won by the POLR Supplier in proportion to its share of the total POLR load of the Electric Distributor. This billing service may also apply to Electric Distributors and LSEs that mutually agree upon a transfer of load from the EDC to the LSE based upon a specified percentage of the megawatt hours at each bus that were not specifically assigned under load contracts.
- At the end of each hour during an Operating Day, the Office of the Interconnection shall calculate the Transmission Loss Charges at each Market Buyer's load bus to be charged for losses at Real-time Loss Prices determined by the product of the hourly Realtime Loss Prices at the relevant bus times the Market Buyer's megawatts of load (net of operating Behind The Meter Generation, but not to be less than zero) at the bus in that hour in excess of the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the hour in the Day-ahead Energy Market. To the extent that the load (net of operating Behind The Meter Generation, but not to be less than zero) actually served at a load bus is less than the load (net of Behind The Meter Generation expected to be operating, but not to be less than zero) scheduled to be served at that bus in the Day-ahead Energy Market, the Market Buyer shall be paid for the difference at the Real-time Loss Price for the load bus at the time of the shortfall. The megawatts of load at each load bus shall be the sum of the megawatts of load (net of operating Behind The Meter Generation, but not less than zero) for that bus of that Market Buyer plus any megawatts of that Market Buyer's bilateral sales attributable to that bus. The total load charge for each Market Buyer shall be the sum, for each of a Market Buyer's load buses, of the charges at Day-ahead Loss Price

determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1a plus the charges at Real-time Loss Prices determined as specified herein, net of any payments specified herein for each of the Market Buyer's load buses.

- At the end of each hour during an Operating Day, the Office of the (g) Interconnection shall calculate the transmission loss payments at each Generating Market Buyer's generation bus to be paid at Real-time Loss Prices, determined by the product of the hourly Real-time Loss Price at the relevant bus times the Generating Market Buyer's megawatts of generation at such generation bus in the hour in excess of the energy scheduled to be injected at that bus in that hour in the Day-ahead Energy Market. To the extent that the energy actually injected at the generation bus is less than the energy scheduled to be injected at that bus in the Day-ahead Energy Market, the Generating Market Buyer shall be debited for the difference at the Real-time Loss Price for the generation bus at the time of the shortfall. The megawatts of generation at each generation bus shall be the sum of the megawatts of generation for that bus of that Generating Market Buyer plus any megawatts of bilateral purchases of that Generating Market Buyer attributable to that bus. The total generation revenue for each Generating Market Buyer shall be the sum, for each of the Generating Market Buyer's generation buses, of the revenues at Day-ahead Loss Price determined in accordance with the Day-ahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Loss Prices determined as specified herein, net of any debits specified herein for each of the Market Buyer's generation buses.
- A Market Seller shall be paid for transmission losses that results from the Realtime sales of Spot Market Energy to the extent of its hourly net deliveries to the PJM Region of energy in excess of amounts scheduled in the Day-ahead Energy Market from the Market Seller's resources. For pool External Resources, the Office of the Interconnection shall model, based on an appropriate flow analysis, the hourly amounts delivered from each such resource to the corresponding Interface Pricing Point between adjacent Control Areas and the PJM Region. The total real-time generation revenues for each Market Seller shall be the sum of its credits determined by the product of (i) the hourly net amount of energy delivered to the PJM Region at the applicable generation or interface bus in excess of the amount scheduled to be delivered in that hour at that bus in the Day-ahead Energy Market from each of the Market Seller's resources, times (ii) the hourly Real-time Loss Price at that bus. To the extent that the energy actually injected at a generation bus or Interface Pricing Point in any hour is less than the energy scheduled to be injected at that bus or point in the Day-ahead Energy Market, the Market Seller shall be debited for the difference at the Real-time Loss Price for the applicable bus or point at the time of the shortfall times the amount of the shortfall. The total generation revenue for each Market Seller shall be the sum, for each of the Market Seller's generation buses or Interface Pricing Points, of the revenues at Day-ahead Loss Prices determined in accordance with the Dayahead Energy Market as specified in Section 1.10.1A plus the revenues at Real-time Loss Prices determined as specified herein, net of any debits specified herein for each of the Market Seller's generation buses or Interface Pricing Points.

5.4.4 Transmission Customer Calculation.

Each Transmission Customer using Firm Point-to-Point Transmission Service (as defined in the PJM Tariff), each Network Customer, and each Transmission Customer using Non-Firm Pointto-Point Transmission Service (as defined in the PJM Tariff), shall be charged for the increased cost of transmission losses for the delivery of energy using such Transmission Service. Except as specified in this subsection, a Transmission Loss Charge shall be assessed for transmission use scheduled in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Loss Price at the delivery point or the delivery interface at the boundary of the PJM Region and the Day-ahead Loss Price at the source point or the source interface at the boundary of the PJM Region. Transmission Loss Charges shall be assessed for real-time transmission use in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Loss Price at the delivery point or the delivery interface at the boundary of the PJM Region, and the Real-time Loss Price at the source point or the source interface at the boundary of the PJM Region. A Transmission Customer shall be paid for Transmission Loss Charges for real-time transmission use falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Loss Price at the delivery point or the delivery interface at the boundary of the PJM Region, and the Real-time Loss Price at the source point or the source interface at the boundary of the PJM Region or the source Interface Pricing Point at the boundary of the PJM Region.

5.4.4A Transaction Calculation.

Each Market Participant entering into transactions in the PJM Interchange Energy Market shall be charged for the increased cost of transmission losses on the scheduled path. Except as specified in this subsection, a Transmission Loss Charge shall be assessed for cleared MWh in the Day-ahead Energy Market, calculated as the amount to be delivered multiplied by the difference between the Day-ahead Loss Price at the sink point and the Day-ahead Loss Price at the source point. Transmission Loss Charges shall be assessed for real-time cleared MWh in excess of the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the excess amount multiplied by the difference between the Real-time Loss Price at the sink point and the real-time Loss Price at the source point. Such Market Participant shall be paid for Transmission Loss Charges for real-time cleared MWh falling below the amounts scheduled for each hour in the Day-ahead Energy Market, calculated as the shortfall amount multiplied by the difference between the Real-time Loss Price at the source point.

5.4.5 Total Transmission Loss Charges.

The total Transmission Loss Charges collected by PJMSettlement each hour will be the aggregate net amounts determined as specified in this Schedule.