



# Manual 01: Control Center and Data Exchange Requirements Revision 47

Ryan Nice  
EMS Support, Manager  
March 9th, 2023

- Cover to Cover Periodic Review
- Section 4.4 additions to Interpersonal Communication Capability Failure notification requirements, specifying that notification is only required if all designated communication modes failed. This update makes 4.4 consistent with more recent PJM Compliance Bulletin regarding COM-001-3, Requirement 10

- COM-001-3 R10 specifies the need to notify entities within 60 minutes of the detection of a failure of its Interpersonal Communication capability that lasts 30 minutes or longer.
- Revision edits articulate that interpersonal communication can be, and typically is, multi-layered, with several redundant methods (i.e. cell, satellite, radio) at a control center.
- Revision edits clarify that the need to notify entities of failure only applies if communication has failed, as long as all applicable parties still have at least one viable shared communication path.

- First Read
  - RSCS 3/17
  - MRC 3/22
  - SOS 4/5
  - OC 4/13
- Endorsement
  - RSCS 4/21
  - MRC 4/26
  - SOS 4/27
  - OC 5/11

Presenter:  
Ryan Nice, [Ryan.Nice@pjm.com](mailto:Ryan.Nice@pjm.com)

## Manual 01 Periodic Review



### Member Hotline

(610) 666 – 8980

(866) 400 – 8980

[custsvc@pjm.com](mailto:custsvc@pjm.com)